

Index to volume 40

Author index*

A

- Adu-Oppong A (*see* Breuer-McHam et al). 1999;40:48-60
 Ahmed AR (*see* Khan et al). 1999;40:485-8 (Brief comm.)
 Ahn S-J (*see* Chang et al). 1999;40:640-2 (Brief comm.)
 Aiuti F (*see* Bellegrandi et al). 1999;40:777-9 (Brief comm.)
 Akan T (*see* Şentürk et al). 1999;40:335-7 (Case rep.)
 Akiba H (*see* Iwatsuki et al). 1999;40:283 (Letter)
 Alam M, Gross EA, Savin RC. Severe urticarial reaction to diphenylcyclopropanone therapy for alopecia areata. 1999;40:110-1 (Brief comm.)
 Albers SE, Barnard M, Thorner P, Krafchik BR. Erosive adenomatosis of the nipple in an eight-year-old girl. 1999;40:834-7 (Case rep.)
 Albertioni F (*see* Heilborn et al). 1999;40:741-9 (Therapy)
 Alora MB (*see* Herd et al). 1999;40:603-6
 Amagai M, Tsunoda K, Zillikens D, Nagai T, Nishikawa T. The clinical phenotype of pemphigus is defined by the anti-desmoglein autoantibody profile. 1999;40:167-70
 Amagai M (*see* Robinson et al). 1999;40:649-71 (CME article)
 Amblard P (*see* Lok et al). 1999;40:208-13 (Therapy)
 Amin S (*see* Zackheim et al). 1999;40:418-25
 Anders TJ (*see* Shelley et al). 1999;40:69-72 (Therapy)
 Anderson RR (*see* González et al). 1999;40:708-13
 Anhalt GJ. Making sense of antigens and antibodies in pemphigus. 1999;40:763-6 (Editorial)
 Anhalt GJ (*see* de Bruin et al). 1999;40:682-5
 Anhalt GJ (*see* Nousari et al). 1999;40:265-7 (Brief comm.)
 Anhalt GJ (*see* Nousari et al). 1999;40:750-4 (Therapy)
 Anhalt GJ (*see* Nousari et al). 1999;40:845-6 (Case rep.)
 Arase S (*see* Urano et al). 1999;40:275-8 (Brief comm.)
 Arata J (*see* Fujimoto et al). 1999;40:637-9 (Brief comm.)
 Arata J (*see* Hirakawa S). 1999;40:268-71 (Brief comm.)
 Arbisser JL, Panigrathy D, Klauber N, Rupnick M, Flynn E, Udagawa T, D'Amato RJ. The antiangiogenic agents TNP-470 and 2-methoxyestradiol inhibit the growth of angiosarcoma in mice. 1999;40:925-9
 Argenziano G, Fabbrocini G, Carli P, De Giorgi V, Delfino M. Clinical and dermatoscopic criteria for the preoperative evaluation of cutaneous melanoma thickness. 1999;40:61-8
 Arndt KA (*see* Herd et al). 1999;40:603-6
 Aronson IK, Bond S, Fiedler VC, Vomvouras S, Gruber D, Ruiz C. Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients (1998;39:933-9). 1999;40:611 (Correction)
 Atilganoğlu U (*see* Onsun et al). 1999;40:866-7 (Case rep.)
 Ayers PW (*see* Shertzer and Ayers). 1999;40:112-13 (Brief comm.)

B

- Bagot M (*see* Benchikhi et al). 1999;40:1005-7 (Brief comm.)
 Baldwin H (*see* Leyden et al). 1999;40:930-7
 Banfield CC, Dawber RPR, Walker NPJ, Stables GI, Zeina B, Schomburg K. Mohs micrographic surgery for the treatment of in situ nail apparatus melanoma: a case report. 1999;40:98-9 (Derm surg.)

- Baral J (*see* Sicari et al). 1999;40:290-3 (Case rep.)
 Baran R, Dawber R. Chevron nail. 1999;40:498 (Letter)
 Barnard M (*see* Albers et al). 1999;40:834-7 (Case rep.)
 Barnhill RL (*see* Spatz and Barnhill). 1999;40:223-8 (Dermatopathology)
 Baron JM, Rübber A, Grussendorf-Conen E-I. HPV 18-induced pigmented Bowenoid papulosis of the neck. 1999;40:633-4 (Brief comm.)
 Barr RM (*see* Sabroe et al). 1999;40:443-50
 Barrett TL (*see* Graham et al). 1999;40:490-2 (Brief comm.)
 Barsky S (*see* Chiang et al). 1999;40:999-1001 (Brief comm.)
 Barton JC, Buchness MR. Nongenital dermatologic disease in HIV-infected women. 1999;40:938-48
 Bason ET (*see* Grant-Kels et al). 1999;40:539-48
 Beham-Schmid C (*see* Kaddu et al). 1999;40:966-78 (Dermatopathology)
 Behrens S (*see* Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
 Behrens S (*see* Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
 Behrens S (*see* Kerscher and Behrens). 1999;40:787 (Letter reply)
 Bellegrandi S, Rosso R, Mattiacci G, Ferrara R, D'Offizi G, Aiuti F, Mezzaroma I, Paganelli R. Contact dermatitis in subjects infected with HIV type 1. 1999;40:777-9 (Brief comm.)
 Ben-Amitay D (*see* Tamir et al). 1999;40:870-1 (Case rep.)
 Benchikhi H, Bodemer C, Fraïtag S, Wechsler J, Delfau-Larue M-H, Gounod N, de Prost Y, Revuz J, Bagot M. Treatment of cutaneous lymphoid hyperplasia with thalidomide: report of two cases. 1999;40:1005-7 (Brief comm.)
 Berger T (*see* Breuer-McHam et al). 1999;40:48-60
 Bergman W (*see* Snels et al). 1999;40:686-93
 Bernhard JD. Abbevophilia. 1999;40:498-9 (Letter reply)
 Bernhard JD. Antifungal sponsored supplements. 1999;40:282 (Letter reply)
 Bernhard JD. Dermatologic(al) sesquipedalianism. 1999;40:626-30 (The Blue Journal)
 Bessis D (*see* Lok et al). 1999;40:208-13 (Therapy)
 Best S (*see* Leyden et al). 1999;40:930-7
 Bewerse B (*see* Hall HI et al). 1999;40:35-42
 Bhawan J (*see* Ming et al). 1999;40:159-66
 Bhol KC (*see* Khan et al). 1999;40:485-8 (Brief comm.)
 Biggeri A (*see* Carli et al). 1999;40:549-57
 Billingsley EM (*see* Cowen and Billingsley). 1999;40:697-701
 Binder M, Kittler H, Pehamberger H, Wolff K. Possible hazard to patients from immersion oil used for epiluminescence microscopy. 1999;40:499 (Letter)
 Binder M, Kittler H, Steiner A, Dawid M, Pehamberger H, Wolff K. Reevaluation of the ABCD rule for epiluminescence microscopy. 1999;40:171-6
 Binder M (*see* Kittler et al). 1999;40:558-62
 Black AK (*see* Sabroe et al). 1999;40:443-50
 Black MM (*see* Jones and Black). 1999;40:233-41 (Periodic synopsis)
 Blaszczyk M (*see* Jablonska et al). 1999;40:129-30 (Letter reply)
 Blume-Peytavi U (*see* Mandt et al). 1999;40:318-21 (Case rep.)
 Bodemar C (*see* Benchikhi et al). 1999;40:1005-7 (Brief comm.)
 Bodnar MG, Miller OF III, Tyler WB. Facial orf. 1999;40:815-7 (Case rep.)
 Bodnar MG, Miller OF III, Tyler W. Paget's disease of the male breast associated with intraductal carcinoma. 1999;40:829-31 (Case rep.)
 Boer J, van Gemert JP. Long-term results of isotretinoin in the treat-

*January, pp. 1-142; February, part 1, pp. 143-286; February, part 2, pp. 287-366; March, pp. 367-506; April, pp. 507-648; May, part 1, pp. 649-796; May, part 2, pp. 797-876; June, part 1, pp. 877-1042; June, part 2, pp. S1-42.

- ment of 68 patients with hidradenitis suppurativa. 1999;40:73-6 (Therapy)
- Böhm M, Luger TA, Bonsmann G. Disseminated superficial actinic porokeratosis: treatment with topical tacalcitol. 1999;40:479-80 (Brief comm.)
- Bologna JL (see Duncan et al). 1999;40:493-6 (Brief comm.)
- Bonsmann G (see Böhm et al). 1999;40:479-80 (Brief comm.)
- Borradori L (see Trüeb et al). 1999;40:338-44 (Case rep.)
- Braga S (see Calzavara-Pinton et al). 1999;40:910-3
- Braverman IM. *Skin Signs of Systemic Disease*. 1999;40:786-7 (Letter)
- Breier F (see Schindl et al). 1999;40:481-4 (Brief comm.)
- Breuer-McHam J, Marshall G, Adu-Oppong A, Goller M, Mays S, Berger T, Lewis DE, Duvic M. Alterations in HIV expression in AIDS patients with psoriasis or pruritus treated with phototherapy. 1999;40:48-60
- Brodsky RA (see Nousari et al). 1999;40:750-4 (Therapy)
- Bronson DM (see Chiang et al). 1999;40:999-1001
- Buchness MR (see Barton and Buchness). 1999;40:938-48
- Burack LH (see Walters et al). 1999;40:893-900
- Burg G (see Wigger-Alberti et al). 1999;40:590-6
- Burkhart CG, Burkhart CN. Phenylalanine with UVA for the treatment of vitiligo needs more testing for possible side effects. 1999;40:1015 (Letter)
- Burkhart CN (see Burkhart and Burkhart). 1999;40:1015 (Letter)
- Bürkölmez G (see Şentürk et al). 1999;40:335-7 (Case rep.)
- Busso M (see Elgart et al). 1999;40:315-7 (Case rep.)
- C**
- Caduff L (see Wigger-Alberti et al). 1999;40:590-6
- Callan JP. Subacute cutaneous lupus erythematosus versus systemic lupus erythematosus. 1999;40:129 (Letter)
- Callen JR (see Wilson et al). 1999;40:331-4 (Case rep.)
- Calzavara-Pinton PG, Franceschini F, Manera C, Zane C, Prati E, Cretti L, Braga S, Cattaneo R. Antiperinuclear factor in psoriatic arthropathy. 1999;40:910-3
- Camden S (see Patterson et al). 1999;40:468-70 (Dermatopathology)
- Camisa C (see Shetyengarts et al). 1999;40:773-6 (Brief comm.)
- Carli P, Massi D, Santucci M, Biggeri A, Giannotti B. Cutaneous melanoma histologically associated with a nevus and melanoma de nova have a different profile of risk: results from a case-control study. 1999;40:549-57
- Carli P (see Argenziano et al). 1999;40:61-8
- Carlson JA, Rohwedder A, Daulat S, Schwartz J, Schaller J. Detection of human papillomavirus type 10 DNA in eccrine syringofibroadenomatosis occurring in Clouston's syndrome. 1999;40:259-62 (Brief comm.)
- Casado M (see Rubio et al). 1999;40:300-2 (Case rep.)
- Castelijns FACM, Gerritsen M-JP, van Vlijmen-Willems IMJJ, van Erp PEJ, van de Kerkhof PCM. The epidermal phenotype during initiation of the psoriatic lesion in the symptomless margin of relapsing psoriasis. 1999;40:909-9
- Caswell M. Pressure ulcers. 1999;40:131 (Letter)
- Cather JC, Cohen PR. Ichthyosiform sarcoidosis. 1999;40:862-5 (Case rep.)
- Cattaneo R (see Calzavara-Pinton et al). 1999;40:910-3
- Cerroni L (see Kadu et al). 1999;40:966-78 (Dermatopathology)
- Chan EF, Dowdy YG, Lee B, McKenna WG, Fox KR, Levy RJ, Wasik MA, Rook AH. A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction. 1999;40:116-20 (Brief comm.)
- Chan LS (see Robinson et al). 1999;40:649-71 (CME article)
- Chan LY (see Tang et al). 1999;40:247-8 (Pearls)
- Chan Y-C (see Liao et al). 1999;40:583-9
- Chang JR (see Tschien and Chang). 1999;40:303-7 (Case rep.)
- Chang S-E, Ahn S-J, Choi J-H, Sung K-J, Moon K-C, Koh J-K. Primary adenoid cystic carcinoma of skin with lung metastasis. 1999;40:640-2 (Brief comm.)
- Chang H-S (see Yoon et al). 1999;40:826-8 (Case rep.)
- Chavaz P (see Krischer et al). 1999;40:105-6 (Brief comm.)
- Chen JG (see Feldman SR et al). 1999;40:426-32
- Chen SH, Chopra K, Evans TY, Raimer SS, Levy ML, Tying SK. Herpes gestationis in a mother and child. 1999;40:847-9 (Case rep.)
- Cheng S-T, Wu C-S, Yu H-S, Mellette JR. Surgical pearl: the first dorsal web of the hand as a graft donor site for the defects on the hand and digits. 1999;40:250-1 (Pearls)
- Chi HS (see Lee et al). 1999;40:294-7 (Case rep.)
- Chiang J, Barsky S, Bronson DM. Tretinoin in the removal of eyeliner tattoo. 1999;40:999-1001 (Brief comm.)
- Choi H-J, Hann S-K. Livedo reticularis and livedoid vasculitis responding to PUVA therapy. 1999;40:204-7 (Therapy)
- Choi JH (see Chang et al). 1999;40:640-2 (Brief comm.)
- Choonhakarn C, Janma J. Pyrazinamide-induced lichenoid photodermatitis. 1999;40:645-6 (Letter)
- Chopra K (see Chen et al). 1999;40:847-9 (Case rep.)
- Chuang T-Y (see Reeck et al). 1999;40:567-71
- Chun Y-S (see Lee H-S et al). 1999;40:21-6
- Cianchini G (see Puddu et al). 1999;40:298-9 (Case rep.)
- Chiang Y-C (see Liao et al). 1999;40:583-9
- Claveau J (see Rhainds et al). 1999;40:572-6
- Cockerell CJ (see Ware et al). 1999;40:350-5 (Case rep.)
- Cohen LM (see Ming et al). 1999;40:159-66
- Cohen PR (see Cather and Cohen). 1999;40:862-5 (Case rep.)
- Collantes C (see Russo et al). 1999;40:322-4 (Case rep.)
- Collins SC (see Whalen et al). 1999;40:103-4 (Pearls)
- Colome M (see Diamandidou et al). 1999;40:914-24
- Colonna L (see Puddu et al). 1999;40:298-9 (Case rep.)
- Colven R (see Spach and Colven). 1999;40:818-21 (Case rep.)
- Contreras F (see Rubio et al). 1999;40:300-2 (Case rep.)
- Cook JL. Book reviews. 1999;40:286, 1017-8
- Costaragos C (see Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)
- Coven TR (see Walters et al). 1999;40:893-900
- Cowen EW, Billingsley EM. Awareness of skin cancer by kidney transplant patients. 1999;40:697-701
- Cox NH, Duffey P, Royle J. Fixed drug eruption caused by lactose in an injected botulinum toxin preparation. 1999;40:263-4 (Brief comm.)
- Craven NM, Telfer NR. An open study of tissue adhesive in full-thickness skin grafting. 1999;40:607-10
- Cretti L (see Calzavara-Pinton et al). 1999;40:910-3
- Cvancara MJL, Meffert JJ. Surgical pearl: versatile paper clip comedo extractor for acne surgery. 1999;40:477-8 (Pearls)
- Czelusta A, Moore AY. Cutaneous *Mycobacterium kansasii* infection in a patient with systemic lupus erythematosus: case report and review. 1999;40:359-63 (Case rep.)
- D**
- Dahlman-Ghozlan K, Hedblad M-A, von Krogh G. Penile lichen sclerosus et atrophicus treated with clobetasol dipropionate 0.05% cream: a retrospective clinical and histopathologic study. 1999;40:451-7
- D'Amato R (see Arbiser et al). 1999;40:925-9
- Daoud MS, Lust JA, Kyle RA, Pittelkow MR. Monoclonal gammopathies and associated skin disorders. 1999;40:507-35 (CME article)
- Darsow U, Vieluf D, Ring J. Evaluating the relevance of aeroallergen sensitization in atopic eczema with the atopy patch test: a randomized double-blind multicenter study. 1999;40:187-93
- Daulat S (see Carlson et al). 1999;40:259-62 (Brief comm.)
- Davis LS (see Phillips et al). 1999;40:255-6 (Brief comm.)
- Davis MDP (see Kim et al). 1999;40:462-7

- David M (see Hodak et al). 1999;40:91-4 (Therapy)
Dawid M (see Kittler et al). 1999;40:558-62
Dawber R (see Baran and Dawber). 1999;40:498 (Letter)
Dawber RPR (see Banfield et al). 1999;40:98-9 (Derm surg.)
Dawid M (see Binder et al). 1999;40:171-6
de Bruin A, Müller E, Wyder M, Anhalt GJ, Lemmens P, Suter MM. Periplakin and envoplakin are target antigens in canine and human paraneoplastic pemphigus. 1999;40:682-5
Debure C (see Lok et al). 1999;40:208-13 (Therapy)
De Giorgi V (see Argenziano et al). 1999;40:61-8
De Guire L (see Rhoads et al). 1999;40:572-6
de Jong EMGJ (see Gerritsen et al). 1999;40:284-5 (Letter reply)
Delfau-Larue M-H (see Benchikhi et al). 1999;40:1005-7 (Brief comm.)
Delfino M (see Argenziano et al). 1999;40:61-8
Demirkesen C (see Onsun et al). 1999;40:866-7 (Case rep.)
De Pasquale R, Nasca MR. Postirradiation primary Kaposi's sarcoma of the head and neck. 1999;40:312-4 (Case rep.)
de Prost Y (see Benchikhi et al). 1999;40:1005-7 (Brief comm.)
Diamandidou E, Colome M, Fayad L, Duvic M, Kurzrock R. Prognostic factor analysis in mycosis fungoides/Sézary syndrome. 1999;40:914-24
Diaz LA (see Nousari et al). 1999;40:845-6 (Case rep.)
Didierjean L (see Trüeb et al). 1999;40:338-44 (Case rep.)
DiGiovanna JJ, Kraemer KH. Sunscreens and vitamin D levels. 1999;40:497 (Letter reply)
Dobrev HP. In vivo study of skin mechanical properties in patients with systemic sclerosis. 1999;40:436-42
Dobrynski N (see Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
D'Offizi G (see Bellegrandi et al). 1999;40:777-9 (Brief comm.)
Dotterud LK (see Smith-Sivertsen et al). 1999;40:726-35
Dover JS (see Herd et al). 1999;40:603-6
Dowdy YG (see Chan et al). 1999;40:116-20 (Brief comm.)
Draeos Z (see Leyden et al). 1999;40:930-7
Dragan L, Lorincz AL, Medenica MM, Phillips SB. Graft-like planar lesion secondary to possible dorsal-to-ventral cutaneous transposition. 1999;40:769-70 (Brief comm.)
Duffey P (see Cox et al). 1999;40:263-4 (Brief comm.)
Duffresne RG (see Whalen et al). 1999;40:103-4 (Pearls)
Duncan KO, Tigelaar RE, Bologna JL. Stevens-Johnson syndrome limited to multiple sites of radiation therapy in a patient receiving phenobarbital. 1999;40:493-6 (Brief comm.)
Dunlap F (see Leyden et al). 1999;40:930-7
Duvic M (see Breuer-McHam et al). 1999;40:48-60
Duvic M (see Diamandidou et al). 1999;40:914-24
- E
- Eads TJ (see Reeck et al). 1999;40:567-71
Egan CA, Grant WJ, Morris SE, Saffle JR, Zone JJ. Plasmapheresis as an adjunct treatment in toxic epidermal necrolysis. 1999;40:458-61
Egan CA, Rallis TM, Meadows KP, Krueger GG. Low-dose oral methotrexate treatment for recalcitrant palmoplantar pompholyx. 1999;40:612-4 (Therapy)
Egan CA (see Meadows and Egan). 1999;40:805-7 (Case rep.)
Elewski BE. Treatment of tinea capitis: beyond griseofulvin. 1999;40:S27-30
Elewski BE, Hay RJ. Novel treatment strategies for superficial mycoses: introduction. 1999;40:S1-2
Elewski BE (see Norris et al). 1999;40:S9-13
Elgart GW, Hanly A, Busso M, Spencer JM. Bednar tumor (pigmented dermatofibrosarcoma protuberans) occurring in a site of prior immunization: immunohistochemical findings and therapy. 1999;40:315-17 (Case rep.)
Elias A (see Trüeb et al). 1999;40:338-44 (Case rep.)
Ellis DH. Diagnosis of onychomycosis made simple. 1999;40:S3-8
Elpern D. The River Clinic. 1999;40:758-9 (Beneath the surface)
Elsner P (see Wigger-Alberti et al). 1999;40:590-6
Elston DM. Zosteriform distribution of acantholytic dyskeratotic epidermal nevus? 1999;40:647 (Letter)
Elston DM (see Ricks et al). 1999;40:356-8 (Case rep.)
Erkek E (see Şentürk et al). 1999;40:335-7 (Case rep.)
Eulau D (see Oh et al). 1999;40:979-87 (Clin rev.)
Evans TY (see Chen et al). 1999;40:847-9 (Case rep.)
- F
- Fabbrocini G (see Argenziano et al). 1999;40:61-8
Faergemann J. Pharmacokinetics of fluconazole in skin and nails. 1999;40:S14-20
Fairhurst D (see Mitchnick et al). 1999;40:85-90 (Therapy)
Faivre B (see Lok et al). 1999;40:208-13 (Therapy)
Farmer ER (see Reeck et al). 1999;40:567-71
Fauchald P (see Jensen et al). 1999;40:177-86
Faust HB (see Reeck et al). 1999;40:567-71
Fayad L (see Diamandidou et al). 1999;40:914-24
Feldman SR, Fleischer AB Jr, Chen JG. The gatekeeper model is inefficient for the delivery of dermatologic services. 1999;40:426-32
Feldman SR, Fleischer AB Jr, Young AC, Williford PM. Time-efficiency of nondermatologists compared with dermatologists in the care of skin disease. 1999;40:194-9
Feldman SR, Fleischer AB Jr, Williford PM, Jorizzo JL. Destructive procedures are the standard of care for treatment of actinic keratoses. 1999;40:43-8
Feldman SR (see Fleischer and Feldman). 1999;40:1014-5 (Letter reply)
Fellas A (see Trüeb et al). 1999;40:338-44 (Case rep.)
Feller AC (see Weichenthal et al). 1999;40:808-12 (Case rep.)
Fenske NA (see Lipp et al). 1999;40:838-41 (Case rep.)
Ferranti G (see Puddu et al). 1999;40:298-9 (Case rep.)
Ferrara R (see Bellegrandi et al). 1999;40:777-9 (Brief comm.)
Fine JD (see Hanson et al). 1999;40:471-6 (Clin rev.)
Firooz A, Komeili A. Eruptive melanocytic nevi and cherry angiomas secondary to exposure to sulfur mustard gas. 1999;40:646-7 (Letter)
Fitzpatrick RE, Smith SR, Sriprachya-anunt S. Depth of vaporization and the effect of pulse stacking with a high-energy, pulsed carbon dioxide laser. 1999;40:615-22 (Derm. surg.)
Fitzpatrick RE (see Manuskiatti et al). 1999;40:77-84 (Therapy)
Fitzpatrick RE (see Manuskiatti et al). 1999;40:401-11
Fleischer AB Jr (see Feldman SR et al). 1999;40:43-8
Fleischer AB Jr (see Feldman SR et al). 1999;40:194-9
Fleischer AB Jr (see Feldman SR et al). 1999;40:426-32
Fleischer AB Jr, Feldman SR. Prescribing and cost analysis of treatments of cutaneous fungal infections. 1999;40:1014-5 (Letter reply)
Flynn E (see Arbiser et al). 1999;40:925-9
Fox KR (see Chan et al). 1999;40:116-20 (Brief comm.)
Fraitag S (see Benchikhi et al). 1999;40:1005-7 (Brief comm.)
Franceschini F (see Calzavara-Pinton et al). 1999;40:910-3
Francis DM (see Sabroe et al). 1999;40:443-50
Frezzolini A (see Puddu et al). 1999;40:298-9 (Case rep.)
Fujimoto W, Toi Y, Okazaki F, Lazarova Z, Yancey KB, Arata J. Anti-epiligrin cicatricial pemphigoid with IgG autoantibodies to the β and γ subunits of laminin 5. 1999;40:637-9 (Brief comm.)
Furumoto H (see Shimizu et al). 1999;40:347-9 (Case rep.)
Fusaro RM. The physician scientist, peer review, and creativity. 1999;40:786 (Letter)
- G
- Gambichler T. Vitiligo: phototherapeutic options. 1999;40:645 (Letter)
Geiran O (see Jensen et al). 1999;40:177-86

- Geller AC, Halpern AC, Sun T, Oliveria SA, Miller DR, Lew RA, Koh HK. Participant satisfaction and value in American Academy of Dermatology and American Cancer Society skin cancer screening programs in Massachusetts. 1999;40:563-6
- Gerritsen M-JP, de Jong EMGJ, van de Kerkhof PCM. Lichen planopilaris or lupus? 1999;40:284-5 (Letter reply)
- Gerritsen M-JP (see Castelijns et al). 1999;40:909-9
- Ghannoum MA (see Norris et al). 1999;40:59-13
- Ghate JV and Jorizzo JL. Behçet's disease and complex aphthosis. 1999;40:1-17 (CME article)
- Giannotti B (see Carli et al). 1999;40:549-57
- Gibson GE, Li H, Pittelkow MR. Homocysteinemia and livedoid vasculitis. 1999;40:279-81 (Brief comm.)
- Gibson LE (see Triffet et al). 1999;40:797-801 (Case rep.)
- Gilleaudeau P (see Walters et al). 1999;40:893-900
- Gilliland WR (see Stashower et al). 1999;40:287-9 (Case rep.)
- Glaser DA (see Penneys and Glaser). 1999;40:714-8
- Goerdts S (see Mandt et al). 1999;40:318-21 (Case rep.)
- Goertler E, Kutzner H, Peter HH, Requena L. Methotrexate-induced papular eruption in patients with rheumatic diseases: a distinctive adverse cutaneous reaction produced by methotrexate in patients with collagen vascular diseases. 1999;40:702-7
- Gogstetter DS, Goldsmith LA. Treatment of cutaneous sarcoidosis using photophoresis. 1999;40:767-8 (Brief comm.)
- Goldberg B (see Stricker and Goldberg). 1999;40:647-8 (Letter)
- Goldman MP (see Manuskiatti et al). 1999;40:77-84 (Therapy)
- Goldman MP (see Manuskiatti et al). 1999;40:401-11
- Goldsmith LA (see Gogstetter and Goldsmith). 1999;40:767-8 (Brief comm.)
- Goller M (see Breuer-McHam et al). 1999;40:48-60
- Goltz RW (see Graham et al). 1999;40:490-2 (Brief comm.)
- González E (see González et al). 1999;40:708-13
- González S, González E, White WM, Rajadhyaksha M, Anderson RR. Allergic contact dermatitis: correlation of in vivo confocal imaging to routine histology. 1999;40:708-13
- Gordon RE (see Sicari et al). 1999;40:290-3 (Case rep.)
- Gorman S, Kaplan DL. The affliction of Job: poisoned! 1999;40:126-8 (Special article)
- Gounod N (see Benchikhi et al). 1999;40:1005-7 (Brief comm.)
- Graham BS, Barrett TL, Goltz RW. Nodular fasciitis: response to intralesional corticosteroids. 1999;40:490-2 (Brief comm.)
- Grant WJ (see Egan et al). 1999;40:458-61
- Grant Kels JM, Bason ET, Grin CM. The misdiagnosis of malignant melanoma. 1999;40:539-48
- Grant-Kels JM (see Susser et al). 1999;40:367-98 (CME article)
- Greaves MW (see Sabroe et al). 1999;40:443-50
- Greenbaum SS, Rubin MG. The high-energy pulsed carbon dioxide laser for immediate scar resurfacing. 1999;40:988-90 (Pearls)
- Grever MR (see Nousari et al). 1999;40:750-4 (Therapy)
- Grice P (see Knoell et al). 1999;40:329-30 (Case rep.)
- Grin CM (see Grant-Kels et al). 1999;40:539-48
- Gross EA (see Alam et al). 1999;40:110-11 (Brief comm.)
- Gruis NA (see Snels et al). 1999;40:686-93
- Grundmann-Kollmann M, Korting HC, Behrens S, Kaskel P, Leiter U, Krähn G, Kerschner M, Peter RU. Mycophenolate mofetil: a new therapeutic option in the treatment of blistering autoimmune diseases. 1999;40:957-60 (Therapy)
- Grundmann-Kollmann M, Behrens S, Podda M, Kaufmann R, Peter RU, Kerschner M. Phototherapy for atopic eczema with narrow-band UVB. 1999;40:995-7 (Brief comm.)
- Grunenwald MA (see Shelley et al). 1999;40:69-72 (Therapy)
- Grussendorf-Conen E-I (see Baron et al). 1999;40:633-4 (Brief comm.)
- Guerrero J (see Russo et al). 1999;40:322-4 (Case rep.)
- Guillot B (see Lok et al). 1999;40:208-13 (Therapy)
- Guin JD, Styles A. Protein-contact eczematous reaction to cornstarch in clothing. 1999;40:991-4 (Brief comm.)
- H**
- Hall HI, Miller DR, Rogers JD, Bewerse B. Update on the incidence and mortality from melanoma in the United States. 1999;40:35-42
- Halpern AC (see Geller et al). 1999;40:563-6
- Han JD (see Tang et al). 1999;40:247-8 (Pearls)
- Hanly A (see Elgart et al). 1999;40:315-7 (Case rep.)
- Hann S-K (see Choi and Hann). 1999;40:204-7 (Therapy)
- Hann S-K (see Lee H-S et al). 1999;40:21-6
- Hannuksela-Svahn A, Pukkala E, Koulu L, Jansén CT, Karvonen J. Cancer incidence among Finnish psoriasis patients treated with 8-methoxypsoralen bath PUVA. 1999;40:694-6
- Hansen S (see Jensen et al). 1999;40:177-86
- Hanson SG, Fine J-D, Levy ML. Three new cases of transient bullous dermolysis of the newborn. 1999;40:471-6 (Clin rev.)
- Harada M (see Hirakawa S). 1999;40:268-71 (Brief comm.)
- Harada M (see Shimizu et al). 1999;40:347-9 (Case rep.)
- Harms M (see Krischer et al). 1999;40:105-6 (Brief comm.)
- Hashimoto T (see Robinson et al). 1999;40:649-71 (CME article)
- Hauben DJ (see Tamir et al). 1999;40:870-1 (Case rep.)
- Hay RJ. The management of superficial candidiasis. 1999;40:S35-42
- Hay RJ (see Elewski and Hay). 1999;40:S1-2
- Haycox CL, Leach-Scampavia D, Olerud JE, Ratner BD. Quantitative detection of silicone in skin by means of electron spectroscopy for chemical analysis (ESCA). 1999;40:719-25
- Heald PW (see Vu et al). 1999;40:868-9 (Case rep.)
- Hecker D (see Leyden et al). 1999;40:930-7
- Hedblad M-A (see Dahlman-Ghoozan et al). 1999;40:451-7
- Heilborn JD, Stähle-Bäckdahl M, Albertoni F, Vassilaki I, Peterson C, Stephansson E. Low-dose oral pulse methotrexate as monotherapy in elderly patients with bullous pemphigoid. 1999;40:741-9 (Therapy)
- Helm KF (see Williams et al). 1999;40:643-4 (Brief comm.)
- Hendrix JD Jr (see Knoell et al). 1999;40:329-30 (Case rep.)
- Henneberry JM (see Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)
- Henneberry JM (see Koch and Henneberry). 1999;40:252-4 (Brief comm.)
- Herd RM, Alora MB, Smoller B, Arndt KA, Dover JS. A clinical and histologic prospective controlled comparative study of the picosecond titanium:sapphire (795 nm) laser versus the Q-switched alexandrite (752 nm) laser for removing tattoo pigment. 1999;40:603-6
- Herranz P (see Rubio et al). 1999;40:300-2 (Case rep.)
- Heymann WR. Chronic urticaria and angioedema associated with thyroid autoimmunity: review and therapeutic implications. 1999;40:229-32 (Clin. rev.)
- Hille ETM (see Snels et al). 1999;40:686-93
- Hirakawa S, Kuyama M, Takahashi S, Yamasaki O, Kanzaki H, Teshima T, Harada M, Ma Y, Kawabata T, Yoshino T, Arata J. Nasal and nasal-type natural killer/T-cell lymphoma. 1999;40:268-71 (Brief comm.)
- Hivnor C (see Ricks et al). 1999;40:356-8 (Case rep.)
- Hodak E, Lapidot M, David M. Effect of colchicine in the subcorneal pustular dermatosis type of IgA pemphigus. 1999;40:91-4 (Therapy)
- Hoffmann C, Schuller-Petrovic S, Soyer HP, Kerl H. Adverse reactions after cosmetic lip augmentation with permanent biologically inert implant materials. 1999;40:100-2 (Derm. surg.)
- Honig PJ (see Messner et al). 1999;40:345-6 (Case rep.)
- Hönigsmann H (see Schindl et al). 1999;40:481-4 (Brief comm.)
- Hood AF (see Reece et al). 1999;40:567-71
- Hook M (see Knoell et al). 1999;40:329-30 (Case rep.)
- Hordinsky M (see Olsen et al). 1999;40:242-6 (Special article)
- Hordinsky M (see Leyden et al). 1999;40:930-7

- Horvath N (*see* Mohla et al). 1999;40:780-2 (Brief comm.)
Howell JB. The power of prevention. 1999;40:623-5 (Editorial)
Hsiao C-H (*see* Liao et al). 1999;40:583-9
Hsieh C-C (*see* Signorello et al). 1999;40:200-3
Hughes J (*see* Jolles et al). 1999;40:121-3 (Brief comm.)
Hughes J (*see* Jolles et al). 1999;40:499-500 (Letter)
Huledal G (*see* Lok et al). 1999;40:208-13 (Therapy)
- I**
- Ishibashi A (*see* Watanabe et al). 1999;40:832-3 (Case rep.)
Iwatsuki K, Ohtsuka M, Akiba H, Kaneko F. Atypical hydroa vacciniforme in childhood: from a smoldering stage to Epstein-Barr virus-associated lymphoid malignancy. 1999;40:283 (Letter)
- J**
- Jablonska S, Blaszczyk M, Wolska H. Subacute cutaneous lupus erythematosus versus systemic lupus erythematosus. 1999;40:129-30 (Letter reply)
James WD (*see* Kim et al). 1999;40:272-4 (Brief comm.)
James WD (*see* Messner et al). 1999;40:345-6 (Case rep.)
Janma J (*see* Choonhakarn and Janma). 1999;40:645-6 (Letter)
Jansén CT (*see* Hannuksela-Svahn et al). 1999;40:694-6
Jaskierny DJ (*see* Seline and Jaskierny). 1999;40:325-7 (Case rep.)
Jensen P, Hansen S, Møller B, Leivestad T, Pfeffer P, Geiran O, Fauchald P, Simonsen S. Skin cancer in kidney and heart transplant recipients and different long-term immunosuppressive therapy regimens. 1999;40:177-86
John GR (*see* Wilson et al). 1999;40:331-4 (Case rep.)
Jolles S, Hughes J, Rustin M. Intracellular interleukin-4 profiles during high-dose intravenous immunoglobulin treatment of therapy-resistant atopic dermatitis. 1999;40:121-3 (Brief comm.)
Jolley D (*see* Mar et al). 1999;40:597-602
Jolles S, Hughes J, Rustin M. Therapeutic failure of high-dose intravenous immunoglobulin in pemphigus vulgaris. 1999;40:499-500 (Letter)
Jones RJ (*see* Nousari et al). 1999;40:750-4 (Therapy)
Jones SAV, Black MM. Pregnancy dermatoses. 1999;40:233-41 (Periodic synopsis)
Jorizzo JL (*see* Feldman SR et al). 1999;40:43-8
Jorizzo JL (*see* Gbate JV and Jorizzo JL). 1999;40:1-17 (CME article)
Jurecka W (*see* Schindl et al). 1999;40:481-4 (Brief comm.)
- K**
- Kabe K (*see* Urano et al). 1999;40:275-8 (Brief comm.)
Kaddu S, Zenahlik P, Beham-Schmid C, Kerl H, Cerroni L. Specific cutaneous infiltrates in patients with myelogenous leukemia: a clinicopathologic study of 26 patients with assessment of diagnostic criteria. 1999;40:966-78 (Dermatopathology)
Kalis B (*see* Lok et al). 1999;40:208-13 (Therapy)
Kaneko F (*see* Iwatsuki et al). 1999;40:283 (Letter)
Kang KY (*see* Kim and Kang). 1999;40:412-7
Kang S (*see* Leyden et al). 1999;40:930-7
Kanj LF. Pressure ulcers. 1999;40:131 (Letter reply)
Kanzaki H (*see* Hirakawa S). 1999;40:268-71 (Brief comm.)
Kanzaki T (*see* Yotsumoto and Kanzaki). 1999;40:124-5 (Brief comm.)
Kaplan DL (*see* Gorman and Kaplan). 1999;40:126-8 (Special article)
Karvonen J (*see* Hannuksela-Svahn et al). 1999;40:694-6
Kashani-Sabet M (*see* Zackheim et al). 1999;40:418-25
Kaskel P (*see* Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
Katayama I (*see* Satoh et al). 1999;40:872-6 (Case rep.)
Kato N, Yasukawa K, Onozuka T, Kikuta H. Nasal and nasal-type T/NK-cell lymphoma with cutaneous involvement. 1999;40:850-6 (Case rep.)
Katz HI (*see* Leyden et al). 1999;40:930-7
Kaufmann R (*see* Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
Kawabata T (*see* Hirakawa et al). 1999;40:268-71 (Brief comm.)
Kawada A (*see* Watanabe et al). 1999;40:832-33 (Case rep.)
Kelly LW (*see* Patterson et al). 1999;40:364-6 (Case rep.)
Kelly T (*see* Leyden et al). 1999;40:930-7
Keogh AM (*see* Ong et al). 1999;40:27-34
Kerdel FA (*see* Kirsner et al). 1999;40:755-7 (Special article)
Kerl H (*see* Hoffmann et al). 1999;40:100-2 (Derm. surg.)
Kerl H (*see* Kaddu et al). 1999;40:966-78 (Dermatopathology)
Kerscher M, Behrens S. UVA therapy for scleroderma. 1999;40:787 (Letter reply)
Kerscher M (*see* Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
Kerscher M (*see* Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
Ketabchi N (*see* Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)
Ketabchi N (*see* Nousari et al). 1999;40:845-6 (Case rep.)
Khan IU, Bhol KC, Ahmed AR. Linear IgA bullous dermatosis in a patient with chronic renal failure: response to intravenous immunoglobulin therapy. 1999;40:485-8 (Brief comm.)
Kikuta H (*see* Kato et al). 1999;40:850-6 (Case rep.)
Kim H-S (*see* Lee et al). 1999;40:294-7 (Case rep.)
Kim H-Y, Kang KY. Epidermal grafts for treatment of stable and progressive vitiligo. 1999;40:412-7
Kim S, Rusk MH, James WD. Erysipeloid sporotrichosis in a woman with Cushing's disease. 1999;40:272-4 (Brief comm.)
Kim YC, Davis MDP, Schanbacher CF, Su WPD, Dowling-Degos disease (reticulate pigmented anomaly of the flexures): a clinical and histopathologic study of 6 cases. 1999;40:462-7
Kimiya-Asadi A, Nousari HC, Ketabchi N, Henneberry JM, Costarango C. Diffuse dermal angiomatosis: a variant of reactive angioendotheliomatosis associated with atherosclerosis. 1999;40:257-8 (Brief comm.)
Kimiya-Asadi A (*see* Nousari et al). 1999;40:265-7 (Brief comm.)
Kimiya-Asadi A (*see* Nousari et al). 1999;40:845-6 (Case rep.)
Kirsner RS, Yang DG, Kerdel FA. The changing status of inpatient dermatology at American academic dermatology programs. 1999;40:755-7 (Special article)
Kittler H, Selteneim M, Dawid M, Pehamberger H, Wolff K, Binder M. Morphologic changes of pigmented skin lesions: a useful extension of the ABCD rule for dermatoscopy. 1999;40:558-62
Kittler H (*see* Binder et al). 1999;40:171-6
Kittler H (*see* Binder et al). 1999;40:499 (Letter)
Klauber N (*see* Arbiser et al). 1999;40:925-9
Knautz MA (*see* Phillips et al). 1999;40:255-6 (Brief comm.)
Knoell KA, Hook M, Grice P, Hendrix JD Jr. Dermatomyositis associated with bronchiolitis obliterans organizing pneumonia (BOOP). 1999;40:329-30 (Case rep.)
Koch SE, Henneberry JM. Clinically subtle primary cutaneous melanoma. 1999;40:252-4 (Brief comm.)
Koh HK (*see* Geller et al). 1999;40:563-6
Koh JK (*see* Chang et al). 1999;40:640-2 (Brief comm.)
Kohler S (*see* Oh et al). 1999;40:979-87 (Clin rev.)
Komeili A (*see* Firooz and Komeili). 1999;40:646-7 (Letter)
Kondo-Oestreicher M (*see* Krischer et al). 1999;40:492-3 (Brief comm.)
Koo J, Lebwohl M. Cyclosporine-associated lymphoma. 1999;40:1016 (Letter reply).
Korting HC (*see* Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
Kosaka M (*see* Urano et al). 1999;40:275-8 (Brief comm.)
Kossard S (*see* Ong et al). 1999;40:27-34
Koulu L (*see* Hannuksela-Svahn et al). 1999;40:694-6
Kraemer KH (*see* DiGiovanna and Kraemer). 1999;40:497 (Letter reply)

- Krafchik BR (see Albers et al). 1999;40:834-7 (Case rep.)
 Krafchik BR (see Landau and Krafchik). 1999;40:877-92 (CME article)
 Krähn G (see Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
 Kraus S (see Leyden et al). 1999;40:930-7
 Krengel S (see Mandt et al). 1999;40:318-21 (Case rep.)
 Krischer J, Pechère M, Salomon D, Harms M, Chavaz P, Saurat J-H. Interferon alfa-2b-induced Meyerson's nevi in a patient with dysplastic nevus syndrome. 1999;40:105-6 (Brief comm.)
 Krischer J, Scolari F, Kondo-Oestreicher M, Vollenweider-Roten S, Saurat J-H, Pechère M. Pseudoporphyria induced by nabumetone. 1999;40:492-3 (Brief comm.)
 Krueger GG (see Egan et al). 1999;40:612-4 (Therapy)
 Krueger JG (see Walters et al). 1999;40:893-900
 Kumano K (see Murata et al). 1999;40:949-56
 Kural YB (see Onsun et al). 1999;40:866-7 (Case rep.)
 Kurzrock R (see Diamandidou et al). 1999;40:914-24
 Kussman HM (see Ware et al). 1999;40:350-5 (Case rep.)
 Kutzner H (see Goertler et al). 1999;40:702-7
 Kuyama M (see Hirakawa S). 1999;40:268-71 (Brief comm.)
 Kyle RA (see Daoud et al). 1999;40:507-35 (CME article)

L

- Landau M, Krafchik BR. The diagnostic value of café-au-lait macules. 1999;40:877-92 (CME article)
 Lapidoto M (see Hodak et al). 1999;40:91-4 (Therapy)
 Lazarova Z (see Fujimoto et al). 1999;40:637-9 (Brief comm.)
 Leach-Scampavia D (see Haycox et al). 1999;40:719-25
 Lebwohl M (see Koo et al). 1999;40:1016 (Letter reply)
 Lebwohl M (see Leyden et al). 1999;40:930-37
 Lee B (see Chan et al). 1999;40:116-20 (Brief comm.)
 Lee H-S, Chun Y-S, Hann S-K. Nevus depigmentosus: clinical features and histopathologic characteristics in 67 patients. 1999;40:21-6
 Lee H-T (see Yoon et al). 1999;40:826-8 (Case rep.)
 Lee I-J, Kim HS, Yang WI, Chi HS. Paraneoplastic pemphigus associated with follicular dendritic cell sarcoma arising from Castleman's tumor. 1999;40:294-7 (Case rep.)
 Lee LA (see Weston et al). 1999;40:675-81
 Lee M (see Whang and Lee). 1999;40:95-7 (Derm surg.)
 Lee RF (see Liao et al). 1999;40:583-9
 Leiferman KM (see Triffet et al). 1999;40:797-801 (Case rep.)
 Leiter U (see Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
 Leivestad T (see Jensen et al). 1999;40:177-86
 Lemmens P (see de Bruin et al). 1999;40:682-5
 Lemont H, Sorrento DL. Clinical pearl: accentuated transverse hallux skin crease—a cutaneous skin marker for hallux rigidus (osteoarthritis of the big toe joint). 1999;40:631-2 (Pearls)
 Leshner JL Jr. Oral therapy of common superficial fungal infections of the skin. 1999;40:S31-4
 Levy ML (see Chen et al). 1999;40:847-9 (Case rep.)
 Levy ML (see Hanson et al). 1999;40:471-6 (Clin rev.)
 Levy RJ (see Chan et al). 1999;40:116-20 (Brief comm.)
 Lew RA (see Geller et al). 1999;40:563-6
 Lewis DE (see Breuer-McHam et al). 1999;40:48-60
 Leyden J, Dunlap F, Miller B, Winters P, Lebwohl M, Hecker D, Kraus S, Baldwin H, Shalita A, Draelos Z, Markou M, Thiboutot D, Rapaport M, Kang S, Kelly T, Pariser D, Webster G, Hordinsky M, Rietschel R, Katz HI, Terranella L, Best S, Round E, Waldstreicher J. Finasteride in the treatment of men with frontal male pattern hair loss. 1999;40:930-7
 Li H (see Gibson et al). 1999;40:279-81 (Brief comm.)
 Liao Y-L, Chiang Y-C, Tsai T-F, Lee R-F, Chan Y-C, Hsiao C-H. Contact leukomelanosis induced by the leaves of *Piper betle* L. (Piperaceae): a clinical and histopathologic survey. 1999;40:583-9
 Lipp KE, Shenfeld PD, Nelson RP Jr, Messina JL, Fenske NA. Persistent Sweet's syndrome occurring in a child with a primary immunodeficiency. 1999;40:838-41 (Case rep.)
 Lo KK (see Tang et al). 1999;40:247-8 (Pearls)
 Lok C, Paul C, Amblard P, Bessis D, Debure C, Faivre B, Guillot B, Ortonne JP, Huledal G, Kalis B. EMLA cream as a topical anesthetic for the repeated mechanical debridement of venous leg ulcers: a double-blind, placebo-controlled study. 1999;40:208-13 (Therapy)
 Long D (see Williams et al). 1999;40:643-4 (Brief comm.)
 Lorincz AL (see Dragan et al). 1999;40:769-70 (Brief comm.)
 Lu NZ (see Tang et al). 1999;40:247-8 (Pearls)
 Lüftl M (see Wolhrab et al). 1999;40:813-4 (Case rep.)
 Luger TA (see Böhm et al). 1999;40:479-80 (Brief comm.)
 Lund E (see Smith-Sivertsen et al). 1999;40:726-35
 Lupton JC (see Tomaszewski et al). 1999;40:857-61 (Case rep.)
 Lust JA (see Daoud et al). 1999;40:507-35 (CME article)

M

- Ma Y (see Hirakawa S). 1999;40:268-71 (Brief comm.)
 Macdonald PS (see Ong et al). 1999;40:27-34
 Maddin S. A comparison of topical azelaic acid 20% cream and topical metronidazole 0.75% cream in the treatment of patients with papulopustular rosacea. 1999;40:961-5 (Therapy)
 Magaña M (see Sangüeza and Magaña). 1999;40:284 (Letter reply)
 Manders SM (see Williamson et al). 1999;40:635-6 (Brief comm.)
 Mandt N, Blume-Peytavi U, Pfrommer C, Krengel S, Goerdts S. Phakomatosis pigmentovascularis type IIa. 1999;40:318-21 (Case rep.)
 Manera C (see Calzavara-Pinton et al). 1999;40:910-3
 Mantzoros CS (see Signorello et al). 1999;40:200-3
 Manuskiatti W, Fitzpatrick RE, Goldman MP. Long-term effectiveness and side effects of carbon dioxide laser resurfacing for photoaged facial skin. 1999;40:401-11
 Manuskiatti W, Fitzpatrick RE, Goldman MP. Prophylactic antibiotics in patients undergoing laser resurfacing of the skin. 1999;40:77-84 (Therapy)
 Mar A, Tam M, Jolley D, Marks R. The cumulative incidence of atopic dermatitis in the first 12 months among Chinese, Vietnamese, and Caucasian infants born in Melbourne, Australia. 1999;40:597-602
 Markou M (see Leyden et al). 1999;40:930-7
 Marks JG Jr (see Patterson et al). 1999;40:783-5 (Brief comm.)
 Marks R (see Mar et al). 1999;40:597-602
 Marks R. Sunscreens and vitamin D levels. 1999;40:497 (Letter)
 Marsch WC (see Wolhrab et al). 1999;40:813-4 (Case rep.)
 Marshall G (see Breuer-McHam et al). 1999;40:48-60
 Massi D (see Carli et al). 1999;40:549-57
 Matthews JH (see Steger and Matthews). 1999;40:787 (Letter)
 Mattiacci G (see Bellegrandi et al). 1999;40:777-9 (Brief comm.)
 Mays S (see Breuer-McHam et al). 1999;40:48-60
 McCalmont TH (see Ming et al). 1999;40:159-66
 McDonald-Hull S (see Olsen et al). 1999;40:242-6 (Special article)
 McGuire JS (see Oh et al). 1999;40:979-87 (Clin rev.)
 McKenna WG (see Chan et al). 1999;40:116-20 (Brief comm.)
 McMillan A (see Zackheim et al). 1999;40:418-25
 Meadows KP, Egan CA. Vesicular carcinoma erysipelas. 1999;40:805-7 (Case rep.)
 Meadows KP (see Egan et al). 1999;40:612-4 (Therapy)
 Medenica MM (see Dragan et al). 1999;40:769-70 (Brief comm.)
 Meffert JJ (see Cvanca and Meffert). 1999;40:477-8 (Pearls)
 Meigel W (see Weichenthal et al). 1999;40:808-12 (Case rep.)
 Meiri G (see Mutasim and Meiri). 1999;40:822-5 (Case rep.)
 Mellette JR (see Cheng et al). 1999;40:250-1 (Pearls)
 Mensing H (see Weichenthal et al). 1999;40:808-12 (Case rep.)
 Messina JL (see Lipp et al). 1999;40:838-41 (Case rep.)

- Messner J, Miller JJ, James WD, Honig PJ. Accentuated viral exanthems in areas of inflammation. 1999;40:345-6 (Case rep.)
Mezzaroma I (see Bellegrandi et al). 1999;40:777-9 (Brief comm.)
Michelsen S (see Prinz et al). 1999;40:577-82
Miller B (see Leyden et al). 1999;40:930-7
Miller DR (see Geller et al). 1999;40:563-6
Miller DR (see Hall HI et al). 1999;40:35-42
Miller OF III (see Bodnar et al). 1999;40:815-7 (Case rep.)
Miller OF III (see Bodnar et al). 1999;40:829-31 (Case rep.)
Miller WD (see Messner et al). 1999;40:345-6 (Case rep.)
Ming ME, Bhawan J, Stefanato CM, McCalmont TH, Cohen LM. Imipramine-induced hyperpigmentation: four cases and a review of the literature. 1999;40:159-66
Mirowski GW. Book review. 1999;40:132
Mitchnick MA, Fairhurst D, Pinnell SR. Microfine zinc oxide (Z-Cote) as a photostable UVA/UVB sunblock agent. 1999;40:85-90 (Therapy)
Miyaoaka Y (see Urano et al). 1999;40:275-8 (Brief comm.)
Moad JC (see Tomaszewski et al). 1999;40:857-61 (Case rep.)
Mohla G, Horvath N, Stevens S. Quality of life improvement in a patient with severe atopic dermatitis treated with photopheresis. 1999;40:780-2 (Brief comm.)
Møller B (see Jensen et al). 1999;40:177-86
Moon K-C (see Chang et al). 1999;40:640-2 (Brief comm.)
Moore AY (see Czelusta and Moore). 1999;40:359-63 (Case rep.)
Morelli JG (see Weston et al). 1999;40:675-81
Morgenstern S (see Tamir et al). 1999;40:870-1 (Case rep.)
Morris SE (see Egan et al). 1999;40:458-61
Müller E (see de Bruin et al). 1999;40:682-5
Murata Y, Kumano K, Tani M. Underpants-pattern erythema: a previously unrecognized cutaneous manifestation of extramammary Paget's disease of the genitalia with advanced metastatic spread. 1999;40:949-56
Mutasim DF, Meiri G. Bazex syndrome mimicking a primary autoimmune bullous disorder. 1999;40:822-5 (Case rep.)
Muto M (see Shimizu et al). 1999;40:347-9 (Case rep.)
- N
- Nador RG (see Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
Nagai T (see Amagai et al). 1999;40:167-70
Nasca MR (see De Pasquale and Nasca). 1999;40:312-4 (Case rep.)
Nelson RP Jr (see Lipp et al). 1999;40:838-41 (Case rep.)
Nicod L (see Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
Nishikawa T (see Amagai et al). 1999;40:167-70
Nishioka K (see Satoh et al). 1999;40:872-6 (Case rep.)
Norris HA, Elewski BE, Ghanoum MA. Optimal growth conditions for the determination of the antifungal susceptibility of three species of dermatophytes with the use of a microdilution method. 1999;40:S9-13
Nousari HC, Brodsky RA, Jones RJ, Grever MR, Anhalt GJ. Immunoablative high-dose cyclophosphamide without stem cell rescue in paraneoplastic pemphigus: report of a case and review of this new therapy for severe autoimmune disease. 1999;40:750-4 (Therapy)
Nousari HC, Kimyai-Asadi A, Ketabchi N, Diaz LA, Anhalt GJ. Severe nonendemic pemphigus foliaceus presenting in the postpartum period. 1999;40:845-6 (Case rep.)
Nousari HC, Sragovich A, Kimyai-Asadi A, Orlinsky D, Anhalt GJ. Mycophenolate mofetil in autoimmune and inflammatory skin disorders. 1999;40:265-7 (Brief comm.)
Nousari HC (see Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)
- O
- O'Brien JP, Regan W. Actinally degenerate elastic tissue is the likely antigenic basis of actinic granuloma of the skin and of temporal arteritis. 1999;40:214-22 (Dermatopathology)
Ofuji R (see Shimizu et al). 1999;40:347-9 (Case rep.)
Oh DH, Eulau D, Tokugawa DA, McGuire JS, Kohler S. Five cases of calciphylaxis and a review of the literature. 1999;40:979-87 (Clin rev.)
Ohnishi Y (see Watanabe et al). 1999;40:832-33 (Case rep.)
Ohtsuka M (see Iwatsuki et al). 1999;40:283 (Letter)
Okazaki F (see Fujimoto et al). 1999;40:637-9 (Brief comm.)
Okon E (see Tamir et al). 1999;40:870-1 (Case rep.)
Olerud JE (see Haycox et al). 1999;40:719-25
Oliveria SA (see Geller et al). 1999;40:563-6
Olsen E, Hordinsky M, McDonald-Hull S, Price V, Roberts J, Shapiro J, Stenn K. Alopecia areata investigational assessment guidelines. 1999;40:242-6 (Special article)
Olsen EA. Methods of hair removal. 1999;40:143-55 (CME article)
Olsen EA. The midline part: an important physical clue to the clinical diagnosis of androgenetic alopecia in women. 1999;40:106-9 (Brief comm.)
Ong CS, Keogh AM, Kossard S, Macdonald PS, Spratt PM. Skin cancer in Australian heart transplant recipients. 1999;40:27-34
Onozuka T (see Kato et al). 1999;40:850-6 (Case rep.)
Onsun N, Saraçoğlu Ş, Demirkessen C, Kural YB, Atilganoğlu U. Eruptive widespread Spitz nevi: Can pregnancy be a stimulating factor? 1999;40:866-7 (Case rep.)
Orlinsky D (see Nousari et al). 1999;40:265-7 (Brief comm.)
Ortonne JP (see Lok et al). 1999;40:208-13 (Therapy)
Özbakir Ö (see Utaş et al). 1999;40:433-5
- P
- Paganelli R (see Bellegrandi et al). 1999;40:777-9 (Brief comm.)
Panigrahy D (see Arbiser et al). 1999;40:925-9
Pansky B (see Shelley et al). 1999;40:736-40
Pariser D (see Leyden et al). 1999;40:930-7
Parish LC (see Witkowski and Parish). 1999;40:131 (Letter)
Parlette HL III (see Tran and Parlette). 1999;40:760-1 (Pearls)
Parrott R (see Slaten et al). 1999;40:997-9 (Brief comm.)
Parry EJ. Chevron nail/herringbone nail. 1999;40:497-8 (Letter)
Patterson JW, Warren NG, Kelly LW. Cutaneous phaeohyphomycosis due to *Cladophiala bantiana*. 1999;40:364-6 (Case rep.)
Patterson JW, Wright ED, Camden S. Extraparotid Warthin's tumor. 1999;40:468-70 (Dermatopathology)
Patterson SE, Williams JV, Marks JG Jr. Prevention of sodium lauryl sulfate irritant contact dermatitis by Pro-Q aerosol foam skin protectant. 1999;40:783-5 (Brief comm.)
Paul C (see Lok et al). 1999;40:208-13 (Therapy)
Pechère M (see Krischer et al). 1999;40:105-6 (Brief comm.)
Pechère M (see Krischer et al). 1999;40:492-3 (Brief comm.)
Pechère M (see Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
Peets EA. Prescribing and cost analysis of treatments of cutaneous fungal infections. 1999;40:1013-4 (Letter)
Pehamberger H (see Binder et al). 1999;40:171-6
Pehamberger H (see Binder et al). 1999;40:499 (Letter)
Pehamberger H (see Kittler et al). 1999;40:558-62
Peloro TM, Pride HB. Twenty-nail dystrophy and vitiligo: a rare association. 1999;40:488-90 (Brief comm.)
Peña JM (see Rubio et al). 1999;40:300-2 (Case rep.)
Penneys NS, Glaser DA. The incidence of cancellation and nonattendance at a dermatology clinic. 1999;40:714-8
Peter HH (see Goerttler et al). 1999;40:702-7
Peter RU (see Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
Peter RU (see Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
Peterson C (see Heilborn et al). 1999;40:741-9 (Therapy)
Pfeffer P (see Jensen et al). 1999;40:177-86
Pfeifer C (see Prinz et al). 1999;40:577-82
Pfrommer C (see Mandt et al). 1999;40:318-21 (Case rep.)

- Phelps RG (*see* Sicari et al). 1999;40:290-3 (Case rep.)
 Phillips JC, Knautz MA, Sanguenza OP, Davis LS. Familial cutaneous collagenoma. 1999;40:255-6 (Brief comm.)
 Phillips SB (*see* Dragan et al). 1999;40:769-70 (Brief comm.)
 Pilar Agudelo S, Restrepo S, Vélez ID. Cutaneous New World leishmaniasis-sporotrichosis coinfection: report of 3 cases. 1999;40:1002-4 (Brief comm.)
 Pinnell SR (*see* Mitchnick et al). 1999;40:85-90 (Therapy)
 Pittelkow MR (*see* Daoud et al). 1999;40:507-35 (CME article)
 Pittelkow MR (*see* Gibson et al). 1999;40:279-81 (Brief comm.)
 Plewig G (*see* Prinz et al). 1999;40:577-82
 Podda M (*see* Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
 Prati E (*see* Calzavara-Pinton et al). 1999;40:910-3
 Price V (*see* Olsen et al). 1999;40:242-6 (Special article)
 Pride HB (*see* Peloro and Pride). 1999;40:488-90 (Brief comm.)
 Prinz B, Michelsen S, Pfeiffer C, Plewig G. Long-term application of extracorporeal photochemotherapy in severe atopic dermatitis. 1999;40:577-82
 Puddu P, Ferranti G, Frezzolini A, Colonna L, Cianchini G. Pigmented purpura-like eruption as cutaneous sign of mycosis fungoides with autoimmune purpura. 1999;40:298-9 (Case rep.)
 Pukkala E (*see* Hannuksela-Svahn et al). 1999;40:694-6
- R
- Radonich MA (*see* Vu et al). 1999;40:868-9 (Case rep.)
 Raimier SS (*see* Chen et al). 1999;40:847-9 (Case rep.)
 Rajadhyaksha M (*see* González et al). 1999;40:708-13
 Rallis TM (*see* Egan et al). 1999;40:612-4 (Therapy)
 Ramnath A (*see* Shelley et al). 1999;40:69-72 (Dermatopathology)
 Ramsauer J (*see* Weichenthal et al). 1999;40:808-12 (Case rep.)
 Rantanen T (*see* Snellman and Rantanen). 1999;40:771-2 (Brief comm.)
 Rapaport M (*see* Leyden et al). 1999;40:930-7
 Ratner BD (*see* Haycox et al). 1999;40:719-25
 Ray TL. Book review. 1999;40:132
 Reboli AC (*see* Williamson et al). 1999;40:635-6 (Brief comm.)
 Reeck MC, Chuang T-Y, Eads TJ, Faust HB, Farmer ER, Hood AF. The diagnostic yield in submitting nevi for histologic examination. 1999;40:567-71
 Regan R (*see* O'Brien and Regan). 1999;40:214-22 (Therapy)
 Rennie TA (*see* Stashower et al). 1999;40:287-9 (Case rep.)
 Requena L (*see* Goertler et al). 1999;40:702-7
 Restrepo S (*see* Pilar Agudelo et al). 1999;40:1002-4 (Brief comm.)
 Revuz J (*see* Benchikhi et al). 1999;40:1005-7 (Brief comm.)
 Rhoads M, De Guire L, Claveau J. A population-based survey on the use of artificial tanning devices in the Province of Québec, Canada. 1999;40:572-6
 Ricks MR, Vogel PS, Elston DM, Hivnor C. Purpuric agave dermatitis. 1999;40:356-8 (Case rep.)
 Rietschel R (*see* Leyden et al). 1999;40:930-7
 Rigel AC (*see* Rigel et al). 1999;40:114-15 (Brief comm.)
 Rigel DS, Rigel EG, Rigel AC. Effects of altitude and latitude on ambient UVB radiation. 1999;40:114-5 (Brief comm.)
 Rigel EC (*see* Rigel et al). 1999;40:114-5 (Brief comm.)
 Ring J (*see* Darsow et al). 1999;40:187-93
 Robayna G (*see* Rubio et al). 1999;40:300-2 (Case rep.)
 Roberts J (*see* Olsen et al). 1999;40:242-6 (Special article)
 Robinson ND, Hashimoto T, Amagai M, Chan LS. The new pemphigus variants. 1999;40:649-71 (CME article)
 Rogers JD (*see* Hall HI et al). 1999;40:35-42
 Rohwedder A (*see* Carlson et al). 1999;40:259-62 (Brief comm.)
 Rook AH (*see* Chan et al). 1999;40:116-20 (Brief comm.)
 Rosso R (*see* Bellegrandi et al). 1999;40:777-9 (Brief comm.)
 Round E (*see* Leyden et al). 1999;40:930-7
 Royle J (*see* Cox et al). 1999;40:263-4 (Brief comm.)
- Rübben A (*see* Baron et al). 1999;40:633-4 (Brief comm.)
 Rubin MG (*see* Greenbaum and Rubin). 1999;40:988-90 (Pearls)
 Rubio FA, Herranz P, Robayna G, Peña JM, Contreras F, Casado M. Perforating folliculitis: report of a case in a HIV-infected man. 1999;40:300-2 (Case rep.)
 Ruocco V (*see* Wolf et al). 1999;40:282 (Letter)
 Rupnick M (*see* Arbisser et al). 1999;40:925-9
 Rusk MH (*see* Kim et al). 1999;40:272-4 (Brief comm.)
 Russo F, Collantes C, Guerrero J. Severe paronychia due to zidovudine-induced neutropenia in a neonate. 1999;40:322-4 (Case rep.)
 Rustin M (*see* Jolles et al). 1999;40:121-3 (Brief comm.)
 Rustin M (*see* Jolles et al). 1999;40:499-500 (Letter)
- S
- Sabroe RA, Seed PT, Stat C, Francis DM, Barr RM, Black AK, Greaves MW. Chronic idiopathic urticaria: comparison of the clinical features of patients with and without anti-FcεRI or anti-IgE autoantibodies. 1999;40:443-50
 Sachsenberg-Studer EM, Dobrynski N, Sheldon J, Schulz TF, Pechère M, Nador RG, Spiliopoulos A, Nicod L, Saurat J-H. Human herpes-virus 8 seropositive patient with skin and graft Kaposi's sarcoma after lung transplantation. 1999;40:308-11 (Case rep.)
 Sadamitsu D (*see* Shimizu et al). 1999;40:347-9 (Case rep.)
 Saffile JR (*see* Egan et al). 1999;40:458-61
 Şahin S (*see* Şentürk et al). 1999;40:335-7 (Case rep.)
 Salomon D (*see* Krischer et al). 1999;40:105-6 (Brief comm.)
 Sangüeza OP, Magaña M. Atypical hydroa vacciniforme in childhood: from a smoldering stage to Epstein-Barr virus-associated lymphoid malignancy. 1999;40:284 (Letter reply)
 Sangüeza OP (*see* Phillips et al). 1999;40:255-6 (Brief comm.)
 Santucci M (*see* Carli et al). 1999;40:549-57
 Saraçoğlu Ş (*see* Onsun et al). 1999;40:866-7 (Case rep.)
 Satoh T, Takahashi Y, Yokozei H, Katayama I, Nishioka K. Cutaneous angiosarcoma with thrombocytopenia. 1999;40:872-6 (Case rep.)
 Saurat J-H (*see* Krischer et al). 1999;40:105-6 (Brief comm.)
 Saurat J-H (*see* Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
 Savin RC (*see* Alam et al). 1999;40:110-1 (Brief comm.)
 Schaller J (*see* Carlson et al). 1999;40:259-62 (Brief comm.)
 Schanbacher CF (*see* Kim et al). 1999;40:462-7
 Scher RK. Onychomycosis: therapeutic update. 1999;40:S21-6
 Schindl A, Schindl M, Schindl L, Jurecka W, Hönigsmann H, Breier F. Increased dermal angiogenesis after low-intensity laser therapy for a chronic radiation ulcer determined by a video measuring system. 1999;40:481-4 (Brief comm.)
 Schindl L (*see* Schindl et al). 1999;40:481-4 (Brief comm.)
 Schindl M (*see* Schindl et al). 1999;40:481-4 (Brief comm.)
 Schuller-Petrovic S (*see* Hoffmann et al). 1999;40:100-2 (Derm. surg.)
 Schultz TF (*see* Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
 Schwartz J (*see* Carlson et al). 1999;40:259-62 (Brief comm.)
 Schwartz WB. Book review. 1999;40:285
 Scolari F (*see* Krischer et al). 1999;40:492-3 (Brief comm.)
 Seed PT (*see* Sabroe et al). 1999;40:443-50
 Seline PC, Jaskierny DJ. Cutaneous metastases from a chondroblastoma initially presenting as unilateral palmar hyperhidrosis. 1999;40:325-7 (Case rep.)
 Şentürk N, Usubütün A, Şahin S, Bürkülmez G, Erkek E, Topaloğlu R, Akan T. Kinder syndrome: absence of definite ultrastructural feature. 1999;40:335-7 (Case rep.)
 Seltenheim M (*see* Kittler et al). 1999;40:558-62
 Shalita A (*see* Leyden et al). 1999;40:930-7
 Shapiro J (*see* Olsen et al). 1999;40:242-6 (Special article)
 Sheldon J (*see* Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
 Shelley D (*see* Shelley et al). 1999;40:69-72 (Therapy)
 Shelley ED, Shelley WB, Pansky B. The drug line: the clinical expres-

- sion of the pigmentary Voigt-Futcher line in turn derived from the embryonic ventral axial line. 1999;40:736-40
- Shelley ED (see Shelley and Shelley). 1999;40:802-4 (Case rep.)
- Shelley WB, Shelley ED. Chronic factitial ulcer of chin cured by endodontic (root-canal) surgery for underlying periapical abscess. 1999;40:802-4 (Case rep.)
- Shelley WB, Shelley D, Grunewald MA, Anders TJ, Ramnath A. Long-term antibiotic therapy for balanitis xerotica obliterans. 1999;40:69-72 (Therapy)
- Shelley WB (see Shelley et al). 1999;40:736-40
- Shenefelt PD (see Lipp et al). 1999;40:838-41 (Case rep.)
- Sherertz EF, Ayers PW. Physician, heed thy shelf. 1999;40:112-13 (Brief comm.)
- Shimizu T, Harada M, Zempo N, Sadamitsu D, Furumoto H, Uchida H, Yasui H, Ofuji R, Muto M. Nonclostridial gas gangrene due to *Streptococcus anginosus* in a diabetic patient. 1999;40:347-9 (Case rep.)
- Shteyngarts AR, Warner MR, Camisa C. Lupus erythematosus associated with erythema multiforme: Does Rowell's syndrome exist? 1999;40:773-6 (Brief comm.)
- Sicari MC, Baral J, Gordon RE, Phelps RG. Photoinduced dermal pigmentation in patients taking tricyclic antidepressants: histology, electron microscopy, and energy dispersive spectroscopy. 1999;40:290-3 (Case rep.)
- Signorello LB, Wu J, Hsieh C-C, Tzonou A, Trichopoulos D, Mantzoros CS. Hormones and hair patterning in men: A role for insulin-like growth factor I? 1999;40:200-3
- Simonsen S (see Herd et al). 1999;40:177-86
- Skierst DJ (see Ware et al). 1999;40:350-5 (Case rep.)
- Slaten D, Parrott R, Steiner C. Readability of skin cancer prevention brochures targeting parents of young children. 1999;40:997-9 (Brief comm.)
- Smith SR (see Fitzpatrick et al). 1999;40:615-22 (Derm. surg.)
- Smith-Sivertsen T, Dotterud LK, Lund E. Nickel allergy and its relationship with local nickel pollution, ear piercing, and atopic dermatitis: a population-based study from Norway. 1999;40:726-35
- Smoller B (see Herd et al). 1999;40:603-6
- Snellman E, Rantanen T. Severe anaphylaxis after a chlorhexidine bath. 1999;40:771-2 (Brief comm.)
- Snels DGCTM, Hille ETM, Gruis NA, Bergman W. Risk of cutaneous malignant melanoma in patients with nonfamilial atypical nevi from a pigmented lesions clinic. 1999;40:686-93
- Sorrento DL (see Lemont and Sorrento). 1999;40:631-2 (Pearls)
- Soyer HP (see Hoffmann et al). 1999;40:100-2 (Derm. surg.)
- Spach DH, Colven R. Resolution of recalcitrant hand warts in an HIV-infected patient treated with potent antiretroviral therapy. 1999;40:818-21 (Case rep.)
- Spatz A, Barnhill RL. The Spitz tumor 50 years later: revisiting a landmark contribution and unresolved controversy. 1999;40:223-8 (Dermatopathology)
- Spencer JM (see Elgart et al). 1999;40:315-7 (Case rep.)
- Sperling LC (see Trakimas and Sperling). 1999;40:842-4 (Case rep.)
- Spiliopoulos A (see Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
- Spratt PM (see Ong et al). 1999;40:27-34
- Sragovich A (see Nousari et al). 1999;40:265-7 (Brief comm.)
- Sripachya-anunt S (see Fitzpatrick et al). 1999;40:615-22 (Derm. surg.)
- Stables GI (see Banfield et al). 1999;40:98-9 (Derm. surg.)
- Stähle-Bäckdahl M (see Heilborn et al). 1999;40:741-9 (Therapy)
- Stashower ME, Rennie TA, Turiansky GW, Gilliland WR. Ovarian cancer presenting as leukocytoclastic vasculitis. 1999;40:287-9 (Case rep.)
- Stat C (see Sabroe et al). 1999;40:443-50
- Stefanato CM (see Ming et al). 1999;40:159-66
- Steger JW, Matthews JH. UVA therapy for scleroderma. 1999;40:787 (Letter)
- Steiner A (see Binder et al). 1999;40:171-6
- Steiner C (see Slaten et al). 1999;40:997-9 (Brief comm.)
- Stemm AC (see Weichenthal et al). 1999;40:808-12 (Case rep.)
- Stenn K (see Olsen et al). 1999;40:242-6 (Special article)
- Stephansson E (see Heilborn et al). 1999;40:741-9 (Therapy)
- Stevens S (see Mohla et al). 1999;40:780-2 (Brief comm.)
- Stricker RB, Goldberg B. Lichen nitidus and dinitrochlorobenzene. 1999;40:647-8 (Letter)
- Styles A (see Guin and Styles). 1999;40:991-4 (Brief comm.)
- Su WPD (see Kim et al). 1999;40:462-7
- Sun T (see Geller et al). 1999;40:563-6
- Sung K-J (see Chang et al). 1999;40:640-2 (Brief comm.)
- Susser WS, Whitaker-Worth DL, Grant-Kels JM. Mucocutaneous reactions to chemotherapy. 1999;40:367-98 (CME article)
- Suter MM (see de Bruin et al). 1999;40:682-5
- T**
- Tajima S (see Watanabe et al). 1999;40:832-33 (Case rep.)
- Takahashi S (see Hirakawa et al). 1999;40:268-71 (Brief comm.)
- Takahashi Y (see Satoh et al). 1999;40:872-6 (Case rep.)
- Tam M (see Mar et al). 1999;40:597-602
- Tamir G, Morgenstern S, Ben-Amitay D, Okon E, Hauben DJ. Synchronous appearance of keratoacanthomas in burn scar and skin graft donor site shortly after injury. 1999;40:870-1 (Case rep.)
- Tang WYM, Han JD, Lu NZ, Chan LY, Lo KK. Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method. 1999;40:247-8 (Pearls)
- Tani M (see Murata et al). 1999;40:949-56
- Telfer NR (see Craven and Telfer). 1999;40:607-10
- Terranella L (see Leyden et al). 1999;40:930-7
- Teshima T (see Hirakawa S). 1999;40:268-71 (Brief comm.)
- Teufelsdröckh EYD. Abbrevophilia. 1999;40:498-9 (Letter)
- Thomsen HK. Lichen planopilaris or lupus? 1999;40:284 (Letter)
- Thiboutot D (see Leyden et al). 1999;40:930-7
- Thorne P (see Albers et al). 1999;40:834-7 (Case rep.)
- Tigelaar RE (see Duncan et al). 1999;40:493-6 (Brief comm.)
- Toi Y (see Fujimoto et al). 1999;40:637-9 (Brief comm.)
- Tokugawa DA (see Oh et al). 1999;40:979-87 (Clin rev.)
- Tomaszewski M-M, Moad JC, Lupton GP. Primary cutaneous Ki-1 (CD30) positive anaplastic large cell lymphoma in adulthood. 1999;40:857-61 (Case rep.)
- Topaloglu R (see Şentürk et al). 1999;40:335-7 (Case rep.)
- Trakimas CA, Sperling LC. Temporal triangular alopecia acquired in adulthood. 1999;40:842-4 (Case rep.)
- Tran TA, Parlette HL III. Surgical pearl: removal of a large labial mucocele. 1999;40:760-1 (Pearls)
- Trichopoulos D (see Signorello et al). 1999;40:200-3
- Triffet MK, Gibson LE, Leiferman KM. Severe subepidermal blistering disorder with features of bullous pemphigoid and herpes gestationis. 1999;40:797-801 (Case rep.)
- Trüeb RM, Didierjean L, Fellas A, Elias A, Borradori L. Childhood bullous pemphigoid: report of a case with characterization of the targeted antigens. 1999;40:338-44 (Case rep.)
- Tsai T-F (see Liao et al). 1999;40:583-9
- Tschen JA, Chang JR. Scleromyxedema: treatment with interferon alpha. 1999;40:303-7 (Case rep.)
- Tsunoda K (see Amagai et al). 1999;40:167-70
- Turasan A (see Utaş et al). 1999;40:433-5
- Turiansky GW (see Stashower et al). 1999;40:287-9 (Case rep.)
- Tyler W (see Bodnar et al). 1999;40:829-31 (Case rep.)
- Tyler WB (see Bodnar et al). 1999;40:815-7 (Case rep.)
- Tyring SK (see Chen et al). 1999;40:847-9 (Case rep.)
- Tzonou A (see Signorello et al). 1999;40:200-3
- U**
- Uchida H (see Shimizu et al). 1999;40:347-9 (Case rep.)

- Uchida N (see Urano et al). 1999;4275-8 (Brief comm.)
 Udagawa T (see Arbiser et al). 1999;40:925-9
 Urano Y, Miyaoka Y, Kosaka M, Kabe K, Uchida N, Arase S. Sweet's syndrome associated with chronic myelogenous leukemia: demonstration of leukemic cells within a skin lesion. 1999;40:275-8 (Brief comm.)
 Usübtün A (see Şentürk et al). 1999;40:335-7 (Case rep.)
 Utaş S (see Utaş et al). 1999;40:433-5
 Utaş S, Özbakir Ö, Turasan A, Utaş C. *Helicobacter pylori* eradication treatment reduces the severity of rosacea. 1999;40:433-5
- V
- van de Kerkhof PCM (see Gerritsen et al). 1999;40:284-5 (Letter reply)
 van de Kerkhof PCM (see Castelijns et al). 1999;40:909-9
 van Erp PEJ (see Castelijns et al). 1999;40:909-9
 van Gemert (see Boer and van Gemert). 1999;40:73-6 (Therapy)
 van Vlijmen-Willems IMJJ (see Castelijns et al). 1999;40:909-9
 Vassilaki I (see Heilborn et al). 1999;40:741-9 (Therapy)
 Vélez ID (see Pilar Agudelo et al). 1999;40:1002-4 (Brief comm.)
 Vieluf D (see Darow et al). 1999;40:187-93
 Vogel PS (see Ricks et al). 1999;40:356-8 (Case rep.)
 Vollenweider-Roten S (see Krischer et al). 1999;40:492-3 (Brief comm.)
 von Krogh G (see Dahlman-Ghozlan et al). 1999;40:451-7
 Vu AQ, Radonich MA, Heald PW. Herpes zoster in seven disparate dermatomes (zoster multiplex): report of a case and review of the literature. 1999;40:868-9 (Case rep.)
- W
- Waldstreicher J (see Leyden et al). 1999;40:930-7
 Walker NPJ (see Banfield et al). 1999;40:98-9 (Derm surg.)
 Walters IB, Burack LH, Coven TR, Gilleaudeau P, Krueger JG. Suberythemogenic narrow-band UVB is markedly more effective than conventional UVB in treatment of psoriasis vulgaris. 1999;40:893-900
 Ware AJ, Cockerell CJ, Skiest DJ, Kussman HM. Disseminated sporotrichosis with extensive cutaneous involvement in a patient with AIDS. 1999;40:350-5 (Case rep.)
 Warner MR (see Shteyngarts et al). 1999;40:773-6 (Brief comm.)
 Warren NG (see Patterson et al). 1999;40:364-6 (Case rep.)
 Wasik MA (see Chan et al). 1999;40:116-20 (Brief comm.)
 Watanabe Y, Kawada A, Ohnishi Y, Tajima S, Ishibashi A. Photosensitivity due to alprazolam with positive and photochallenge test after 17 days administration. 1999;40:832-3 (Case rep.)
 Weary PE. The future ain't what it was and are we ready for it? 1999;40:1008-10 (Editorial)
 Webster G (see Leyden et al). 1999;40:930-7
 Wechsler J (see Benchikhi et al). 1999;40:1005-7 (Brief comm.)
 Weichenthal M, Stemm AC, Ramsauer J, Mensing H, Feller AC, Meigel W. POEMS syndrome: cicatricial alopecia as an unusual cutaneous manifestation associated with an underlying plasmacytoma. 1999;40:808-12 (Case rep.)
 Weston WL, Morelli JG, Lee LA. The clinical spectrum of anti-Ro-positive cutaneous neonatal lupus erythematosus. 1999;40:675-81
 Whalen JD, Dufresne RG, Collins SC. Surgical pearl: the modified buried dermal suture. 1999;40:103-4 (Pearls)
 Whang, K-W, Lee M. The principle of a three-staged operation in the surgery of acne scars. 1999;40:95-7 (Derm surg.)
 Whitaker-Worth DL (see Susser et al). 1999;40:367-98 (CME article)
 White WM (see González et al). 1999;40:708-13
 Wigger-Alberti W, Caduff L, Burg G, Elsner P. Experimentally induced chronic irritant contact dermatitis to evaluate the efficacy of protective creams in vivo. 1999;40:590-6
- Williams JV, Helm KF, Long D. Chemotherapy-induced inflammation in seborrheic keratoses mimicking disseminated herpes zoster. 1999;40:643-4 (Brief comm.)
 Williams JV (see Patterson et al). 1999;40:783-5 (Brief comm.)
 Williamson K, Rebolí AC, Manders SM. Protease inhibitor-induced lipodystrophy. 1999;40:635-6 (Brief comm.)
 Williford PM (see Feldman SR et al). 1999;40:43-8
 Williford PM (see Feldman SR et al). 1999;40:194-9
 Wilson DM, John GR, Callen JR. Peripheral ulcerative keratitis—an extracutaneous neutrophilic disorder: report of a patient with rheumatoid arthritis, pustular vasculitis, pyoderma gangrenosum, and Sweet's syndrome with an excellent response to cyclosporine therapy. 1999;40:331-4 (Case rep.)
 Winters P (see Leyden et al). 1999;40:930-7
 Witkowski JA, Parish LC. From other ghosts of the past: acne lesion counting. 1999;40:131 (Letter)
 Wohlrab J, Lüftl M, Wolter M, Marsch WC. Submammary granular parakeratosis: an acquired punctate hyperkeratosis of exogenous origin. 1999;40:813-4 (Case rep.)
 Wolf D (see Wolf et al). 1999;40:282 (Letter)
 Wolf R, Wolf D, Ruocco V. Antifungal sponsored supplements. 1999;40:282 (Letter)
 Wolff K (see Binder et al). 1999;40:171-6
 Wolff K (see Binder et al). 1999;40:499 (Letter)
 Wolff K (see Kittler et al). 1999;40:558-62
 Wolska H (see Jablonska et al). 1999;40:129-30 (Letter reply)
 Wolter M (see Wohlrab et al). 1999;40:813-4 (Case rep.)
 Wright ED (see Patterson et al). 1999;40:468-70 (Dermatopathology)
 Wu C-S (see Cheng et al). 1999;40:250-1 (Pearls)
 Wu J (see Signorello et al). 1999;40:200-3
 Wyder M (see de Bruin et al). 1999;40:682-5
- Y
- Yamasaki O (see Hirakawa S). 1999;40:268-71 (Brief comm.)
 Yancey KB (see Fujimoto et al). 1999;40:637-9 (Brief comm.)
 Yang DG (see Kirsner et al). 1999;40:755-7 (Special article)
 Yang WI (see Lee et al). 1999;40:294-7 (Case rep.)
 Yasui H (see Shimizu et al). 1999;40:347-9 (Case rep.)
 Yasukawa K (see Kato et al). 1999;40:850-6 (Case rep.)
 Yokozeki H (see Satoh et al). 1999;40:872-6 (Case rep.)
 Yoon T-Y, Lee H-T, Chang S-H. Giant congenital multiple patch-like glomus tumors. 1999;40:826-8 (Case rep.)
 Yoshino T (see Hirakawa S). 1999;40:268-71 (Brief comm.)
 Yotsumoto S, Kanzaki T. Curved nail of the fourth toe. 1999;40:124-5 (Brief comm.)
 Young AC (see Feldman SR et al). 1999;40:194-9
 Yu H-S (see Cheng et al). 1999;40:250-1 (Pearls)
- Z
- Zackheim HS, Amin S, Kashani-Sabet M, McMillan A. Prognosis in cutaneous T-cell lymphoma by skin stage: long-term survival in 489 patients. 1999;40:418-25
 Zackheim HS. Cyclosporine-associated lymphoma. 1999;40:1015-6 (Letter)
 Zane C (see Calzavara-Pinton et al). 1999;40:910-3
 Zeina B (see Banfield et al). 1999;40:98-9 (Derm surg.)
 Zempo N (see Shimizu et al). 1999;40:347-9 (Case rep.)
 Zemtsov A. Book review. 1999;40:1017
 Zenahlik P (see Kadu et al). 1999;40:966-78 (Dermatopathology)
 Zillikens D (see Amagai et al). 1999;40:167-70
 Zone JJ (see Egan et al). 1999;40:458-61

Subject index*

A

Acne

- From other ghosts of the past: acne lesion counting (Witkowski and Parish). 1999;40:131 (Letter)
- The principle of a three-staged operation in the surgery of acne scars (Whang and Lee). 1999;40:95-8 (Derm. surg.)
- Surgical pearl: versatile paper clip comedo extractor for acne surgery (Cvancara and Meffert). 1999;40:477-8 (Pearls)

Acquired immunodeficiency syndrome

- Alterations in HIV expression in AIDS patients with psoriasis or pruritus treated with phototherapy (Breuer-McHam et al). 1999;40:48-60
- Disseminated sporotrichosis with extensive cutaneous involvement in a patient with AIDS (Ware et al). 1999;40:350-5 (Case rep.)
- Prophylactic antibiotics in patients undergoing laser resurfacing of the skin (Manuskiatti et al). 1999;40:77-84 (Therapy)

Adenomatosis

- Erosive adenomatosis of the nipple in an eight-year-old girl (Albers et al). 1999;40:834-7 (Case rep.)

Administration, topical

- Disseminated superficial actinic porokeratosis: treatment with topical tacalcitol (Böhm et al). 1999;40:479-80 (Brief comm.)

Adrenal cortex hormones

- Nodular fasciitis: response to intralesional corticosteroids (Graham et al). 1999;40:490-2 (Brief comm.)

Aged

- Low-dose oral pulse methotrexate as monotherapy in elderly patients with bullous pemphigoid (Heilborn et al). 1999;40:741-9 (Therapy)

Alopecia

- Alopecia areata investigational assessment guidelines (Olsen et al). 1999;40:242-6 (Special article)
- The midline part: an important physical clue to the clinical diagnosis of androgenetic alopecia in women (Olsen). 1999;40:106-9 (Brief comm.)
- Mucocutaneous reactions to chemotherapy (Susser et al). 1999;40:367-98 (CME article)
- POEMS syndrome: cicatricial alopecia as an unusual cutaneous manifestation associated with an underlying plasmacytoma (Weichenthal et al). 1999;40:808-12
- Severe urticarial reaction to diphenylcyclopropanone therapy for alopecia areata (Alam et al). 1999;40:110-1 (Brief comm.)
- Temporal triangular alopecia acquired in adulthood (Trakimas and Sperling). 1999;40:842-4 (Case rep.)

Alprazolam

- Photosensitivity due to alprazolam with positive oral photochallenge test after 17 days administration (Watanabe et al). 1999;40:832-3 (Case rep.)

American Academy of Dermatology

- Participant satisfaction and value in American Academy of Dermatology and American Cancer Society skin cancer screening programs in Massachusetts (Geller et al). 1999;40:563-6

American Cancer Society

- Participant satisfaction and value in American Academy of Dermatology and American Cancer Society skin cancer screening programs in Massachusetts (Geller et al). 1999;40:563-6

Anaphylaxis

- Severe anaphylaxis after a chlorhexidine bath (Snellman and Rantanen). 1999;40:771-2 (Brief comm.)

Angioendotheliomatosis

- Diffuse dermal angiomatosis: a variant of reactive angioendotheliomatosis associated with atherosclerosis (Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)

Angiomatosis

- Diffuse dermal angiomatosis: a variant of reactive angioendotheliomatosis associated with atherosclerosis (Kimyai-Asadi et al). 1999;40:257-8 (Brief comm.)
- Eruptive melanocytic nevi and cherry angiomas secondary to exposure to sulfur mustard gas (Firooz and Komeili). 1999;40:646-7 (Letter)

Angiosarcoma

- The antiangiogenic agents TNP-470 and 2-methoxyestradiol inhibit the growth of angiosarcoma in mice (Arbiser et al). 1999;40:925-9.
- Cutaneous angiosarcoma with thrombocytopenia (Satoh et al). 1999;40:872-6 (Case rep.)

Antiangiogenic agents

- The antiangiogenic agents TNP-470 and 2-methoxyestradiol inhibit the growth of angiosarcoma in mice (Arbiser et al). 1999;40:925-9.

Antibiotics

- Long-term antibiotic therapy for balanitis xerotica obliterans (Shelley et al). 1999;40:69-72 (Therapy)

Antidepressants

- Photoinduced dermal pigmentation in patients taking tricyclic antidepressants: histology, electron microscopy, and energy dispersive spectroscopy (Sicari et al). 1999;40:290-3 (Case rep.)

Antifungal agents

- Onychomycosis: therapeutic update (Scher). 1999;40:S21-6
- Optimal growth conditions for the determination of the antifungal susceptibility of three species of dermatophytes with the use of a microdilution method (Norris et al). 1999;40:S9-13
- Oral therapy of common superficial fungal infections of the skin (Leshner). 1999;40:S31-4
- Pharmacokinetics of fluconazole in skin and nails (Faergemann). 1999;40:S14-20

Antigens

- Making sense of antigens and antibodies in pemphigus (Anhalt). 1999;40:763-6 (Editorial)
- Periplakin and envoplakin are target antigens in canine and human paraneoplastic pemphigus (de Bruin et al). 1999;40:682-5

Antiperinuclear factor

- Antiperinuclear factor in psoriatic arthropathy (Calzavara-Pinton et al). 1999;40:910-3

Antiviral agents

- Resolution of recalcitrant hand warts in an HIV-infected patient treated with potent antiretroviral therapy (Spach and Colven). 1999;40:818-21 (Case rep.)

Aphthosis, complex

- Behçet's disease and complex aphthosis (Ghate and Jorizzo). 1999;40:1-17 (CME article)

Autoantibodies

- Anti-epiligrin cicatricial pemphigoid with IgG autoantibodies to the β and γ subunits of laminin 5 (Fujimoto et al). 1999;40:637-9 (Brief comm.)
- Antiperinuclear factor in psoriatic arthropathy (Calzavara-Pinton et al). 1999;40:910-3
- Chronic idiopathic urticaria: comparison of the clinical features of patients with and without anti-Fce or anti-IgE autoantibodies (Sabroe et al). 1999;40:443-50
- The clinical phenotype of pemphigus is defined by the anti-desmoglein autoantibody profile (Amagai et al). 1999;40:167-70
- Making sense of antigens and antibodies in pemphigus (Anhalt). 1999;40:763-6 (Editorial)

*January, pp. 1-142; February, part 1, pp. 143-286; February, part 2, pp. 287-366; March, pp. 367-506; April, pp. 507-648; May, part 1, pp. 649-796; May, part 2, pp. 797-876; June, part 1, pp. 877-1042; June, part 2, pp. S1-42.

Autoantibodies—cont'd

- Mycophenolate mofetil: a new therapeutic option in the treatment of blistering autoimmune diseases (Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)

Autoimmune disorders

- Chronic urticaria and angioedema associated with thyroid autoimmunity: review and therapeutic implications (Heymann). 1999;40:229-32 (Clin rev.)
- Immunoablative high-dose cyclophosphamide without stem cell rescue in paraneoplastic pemphigus: report of a case and review of this new therapy for severe autoimmune disease (Nousari et al). 1999;40:750-4 (Therapy)
- Mycophenolate mofetil in autoimmune and inflammatory skin disorders (Nousari et al). 1999;40:265-7 (Brief comm.)
- Mycophenolate mofetil: a new therapeutic option in the treatment of blistering autoimmune diseases (Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)

B**Balanitis xerotica obliterans**

- Long-term antibiotic therapy for balanitis xerotica obliterans (Shelley et al). 1999;40:69-72 (Therapy)

Bazex syndrome

- Bazex syndrome mimicking a primary autoimmune bullous disorder (Mutasim and Meiri). 1999;40:822-5 (Case rep.)

Behçet's disease

- Behçet's disease and complex aphthosis (Ghate and Jorizzo). 1999;40:1-17 (CME article)

Beneath the surface

- The River Clinic (Elpern). 1999;40:758-9

Blister

- Mycophenolate mofetil: a new therapeutic option in the treatment of blistering autoimmune diseases (Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)
- Severe subepidermal blistering disorder with features of bullous pemphigoid and herpes gestations (Triffet et al). 1999;40:797-801 (Case rep.)
- Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

The Blue Journal

- The Blue Journal. 1999;40:626-30

Book reviews

- Book reviews. 1999;40:132, 285-6, 1017, 1017-8

Botulinum toxins

- Fixed drug eruption caused by lactose in an injected botulinum toxin preparation (Cox et al). 1999;40:263-4 (Brief comm.)

Breast neoplasms

- Erosive adenomatosis of the nipple in an eight-year-old girl (Albers et al). 1999;40:834-7 (Case rep.)
- Paget's disease of the male breast associated with intraductal carcinoma (Bodnar et al). 1999;40:829-31 (Case rep.)

Brief communications

- Brief communications. 1999;40:105-25, 252-81, 479-96, 633-44, 767-785, 991-1007

C**Calciophylaxis**

- Five cases of calciophylaxis and a review of the literature (Oh et al). 1999;40:979-87 (Clin rev.)

Carbon dioxide

- Depth of vaporization and the effect of pulse stacking with a high-energy, pulsed carbon dioxide laser (Fitzpatrick et al). 1999;40:615-22 (Derm. surg.)
- The high-energy pulsed carbon dioxide laser for immediate scar resurfacing (Greenbaum and Rubin). 1999;40:988-90 (Pearls)

- Long-term effectiveness and side effects of carbon dioxide laser resurfacing for photoaged facial skin (Manuskiatti et al). 1999;40:401-11

Carcinoma

- Cancer incidence among Finnish psoriasis patients treated with 8-methoxypsoralen bath PUVA (Hannuksela-Svahn et al). 1999;40:694-6
- Ovarian cancer presenting as leukocytoclastic vasculitis (Stashower et al). 1999;40:287-9 (Case rep.)
- Paget's disease of the male breast associated with intraductal carcinoma (Bodnar et al). 1999;40:829-31 (Case rep.)
- Primary adenoid cystic carcinoma of skin with lung metastasis (Chang et al). 1999;40:640-42 (Brief comm.)
- Skin cancer in Australian heart transplant recipients (Ong et al). 1999;40:27-34
- Underpants-pattern erythema: a previously unrecognized cutaneous manifestation of extramammary Paget's disease of the genitalia with advanced metastatic spread (Murata et al). 1999;40:949-56
- Vesicular carcinoma erysipelas (Meadows et al). 1999;40:805-7 (Case rep.)

Case reports

- Case reports. 1999;40:287-366, 797-876

Chemotherapy

- Chemotherapy-induced inflammation in seborrheic keratoses mimicking disseminated herpes zoster (Williams et al). 1999;40:643-4 (Brief comm.)
- Long-term application of extracorporeal photochemotherapy in severe atopic dermatitis (Prinz et al). 1999;40:577-82
- Mucocutaneous reactions to chemotherapy (Susser et al). 1999;40:367-98 (CME article)
- A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction (Chan et al). 1999;40:116-20 (Brief comm.)

Child

- Atypical hydroa vacciniforme in childhood: From a smoldering stage to Epstein-Barr virus-associated lymphoid malignancy? (Iwatsuki et al) (Letter); (Sangüeza and Magaña) (Reply). 1999;40:284
- Childhood bullous pemphigoid: report of a case with characterization of the targeted antigens (Trüeb et al). 1999;40:338-44 (Case rep.)
- The diagnostic value of café-au-lait macules (Landau and Krafchik). 1999;40:877-92 (CME article)
- Erosive adenomatosis of the nipple in an eight-year-old girl (Albers et al). 1999;40:834-7 (Case rep.)
- Graft-like plantar lesion secondary to possible dorsal-to-ventral cutaneous transposition (Dragan et al). 1999;40:769-70 (Brief comm.)
- Herpes gestationis in a mother and child (Chen et al). 1999;40:847-9
- Persistent Sweet's syndrome occurring in a child with a primary immunodeficiency (Lipp et al). 1999;40:838-41 (Case rep.)
- Readability of skin cancer prevention brochures targeting parents of young children (Slaten et al). 1999;40:997-9 (Brief comm.)
- The Spitz tumor 50 years later: revisiting a landmark contribution and unresolved controversy (Spatz and Barnhill). 1999;40:223-8 (Dermatopathology)
- Twenty-nail dystrophy and vitiligo: a rare association (Peloro and Pride). 1999;40:488-90 (Brief comm.)

Chlorhexidine

- Severe anaphylaxis after a chlorhexidine bath (Snellman and Rantanen). 1999;40:771-2 (Brief comm.)

Chondroblastoma

- Cutaneous metastases from a chondroblastoma initially presenting as unilateral palmar hyperhidrosis (Seline and Jaskierny). 1999;40:325-7 (Case rep.)

Cicatrix

- The high-energy pulsed carbon dioxide laser for immediate scar resurfacing (Greenbaum and Rubin). 1999;40:988-90 (Pearls)
The principle of a three-staged operation in the surgery of acne scars (Whang and Lee). 1999;40:95-8 (Derm. surg.)
Synchronous appearance of keratoacanthomas in burn scar and skin graft donor site shortly after injury (Tamir et al). 1999;40:870-1 (Case rep.)

Clinical reviews

- Clinical reviews. 1999;40:229-32, 471-6, 979-87

Clobetasol dipropionate

- Penile lichen sclerosus et atrophicus treated with clobetasol dipropionate 0.05% cream: a retrospective clinical and histopathologic study (Dahlman-Ghozlan et al). 1999;40:451-7

Clouston's syndrome

- Detection of human papillomavirus type 10 DNA in eccrine syringofibroadenomatosis occurring in Clouston's syndrome (Carlson et al). 1999;40:259-62 (Brief comm.)

Colchicine

- Effect of colchicine in the subcorneal pustular dermatosis type of IgA pemphigus (Hodak et al). 1999;40:91-4 (Therapy)

Collagen

- Familial cutaneous collagenoma (Phillips et al). 1999;40:255-6 (Brief comm.)
Methotrexate-induced papular eruption in patients with rheumatic diseases: a distinctive adverse cutaneous reaction produced by methotrexate in patients with collagen vascular diseases (Goertler et al). 1999;40:702-7

Continuing medical education

- Continuing medical education examinations. 1999;40:19-20, 156-7, 399-400, 536-8, 672-3, 891-2
Continuing medical education examinations: answers. 1999;40:18-20, 158, 400, 538, 674, 892

Corrections

- Asteroid bodies and other cytoplasmic inclusions in necrobiotic xanthogranuloma with paraproteinemia (Winkelmann et al) (1998;39:967-70). 1999;40:133
Pruritic urticarial papules and plaques of pregnancy: clinical and immunopathologic observations in 57 patients (Aronson et al) (1998;39:933-9). 1999;40:611

Correspondence

- Correspondence. 1999;40:129-31, 282-6, 497-500, 786-8, 1013-6

Cosmetics

- Tretinoin in the removal of eyeliner tattoo (Chiang and Barksy). 1999;40:999-1001 (Brief comm.)

Costs and cost analysis

- Prescribing and cost analysis of treatments of cutaneous fungal infections (Peets) (Letter); (Fleischer and Feldman) (Reply). 1999;1014-5-1013-4

Cushing's disease

- Erysipeloid sporotrichosis in a woman with Cushing's disease (Kim et al). 1999;40:272-4 (Brief comm.)
Protease inhibitor-induced lipodystrophy (Williamson et al). 1999;40:635-6 (Brief comm.)

Cyclophosphamide

- Immunoablative high-dose cyclophosphamide without stem cell rescue in paraneoplastic pemphigus: report of a case and review of this new therapy for severe autoimmune disease (Nousari et al). 1999;40:750-4 (Therapy)

Cyclosporine

- Cyclosporine-associated lymphoma (Zackheim) (Letter); (Koo and Lebwohl) (Reply). 1999;40:1015-6
Peripheral ulcerative keratitis—an extracutaneous neutrophilic disorder: report of a patient with rheumatoid arthritis, pustular vas-

culitis, pyoderma gangrenosum, and Sweet's syndrome with an excellent response to cyclosporine therapy (Wilson et al).

D

Death

- Update on the incidence and mortality from melanoma in the United States (Hall et al). 1999;40:35-42

Dendritic cells

- Paraneoplastic pemphigus associated with follicular dendritic cell sarcoma arising from Castleman's tumor (Lee et al). 1999;40:294-7 (Case rep.)

Dermatitis

- Increased dermal angiogenesis after low-intensity laser therapy for a chronic radiation ulcer determined by a video measuring system (Schindl et al). 1999;40:481-4 (Brief comm.)
Purpuric agave dermatitis (Ricks et al). 1999;40:356-8 (Case rep.)

Dermatitis, atopic

- The cumulative incidence of atopic dermatitis in the first 12 months among Chinese, Vietnamese, and Caucasian infants born in Melbourne, Australia (Mar et al). 1999;40:597-602
Evaluating the relevance of aeroallergen sensitization in atopic eczema with the atopy patch test: a randomized, double-blind multicenter study (Darsow et al). 1999;40:187-93
Intracellular interleukin-4 profiles during high-dose intravenous immunoglobulin treatment of therapy-resistant atopic dermatitis (Jolles et al). 1999;40:121-3 (Brief comm.)
Long-term application of extracorporeal photochemotherapy in severe atopic dermatitis (Prinz et al). 1999;40:577-82
Nickel allergy and its relationship with local nickel pollution, ear piercing, and atopic dermatitis: a population-based study from Norway (Smith-Sivertsen et al). 1999;40:726-35
Phototherapy for atopic eczema with narrow-band UVB (Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
Quality of life improvement in a patient with severe atopic dermatitis treated with photopheresis (Mohla et al). 1999;40:780-2 (Brief comm.)

Dermatitis, contact

- Allergic contact dermatitis: correlation of in vivo confocal imaging to routine histology (González et al). 1999;40:708-13
Contact dermatitis in subjects infected with HIV type 1 (Bellegrandi et al). 1999;40:777-9 (Brief comm.)
Experimentally induced chronic irritant contact dermatitis to evaluate the efficacy of protective creams in vivo (Wigger-Alberti et al). 1999;40:590-6
Prevention of sodium lauryl sulfate irritant contact dermatitis by Pro-Q aerosol foam skin protectant (Patterson et al). 1999;40:783-5 (Brief comm.)
Protein-contact eczematous reaction to cornstarch in clothing (Guin and Styles). 1999;40:991-4 (Brief comm.)

Dermatofibrosarcoma

- Bednar tumor (pigmented dermatofibrosarcoma protuberans) occurring in a site of prior immunization: immunochemical findings and therapy (Elgart et al). 1999;40:315-7 (Case rep.)

Dermatologic surgery

- Dermatologic surgery. 1999;40:95-102, 615-22

Dermatology

- The changing status of inpatient dermatology at American academic dermatology programs (Kirsner et al). 1999;40:755-7 (Special article)
The future ain't what it was and are we ready for it? (Weary). 1999;40:1008-10 (Editorial)
The gatekeeper model is inefficient for the delivery of dermatologic services (Feldman et al). 1999;40:426-32
The incidence of cancellation and nonattendance at a dermatology clinic (Penneys and Glaser). 1999;40:714-8

Dermatology—cont'd

The physician scientist, peer review, and creativity (Fusaro). 1999; 40:786 (Letter)

Pregnancy dermatoses (Jones and Black). 1999;40:233-41 (Periodic synopsis)

The River Clinic (Elpern). 1999;40:758-9 (Beneath the surface)
Time-efficiency of nondermatologists compared with dermatologists in the care of skin disease (Feldman et al). 1999;40:194-9

Dermatomyositis

Dermatomyositis associated with bronchiolitis obliterans organizing pneumonia (BOOP) (Knoell et al). 1999;40:328-30 (Case rep.)

Dermatopathology

Dermatopathology. 1999;40:214-228, 468-70, 966-78

Dermatophytes

Optimal growth conditions for the determination of the antifungal susceptibility of three species of dermatophytes with the use of a microdilution method (Norris et al). 1999;40:S9-13

Treatment of tinea capitis: beyond griseofulvin (Elewski). 1999; 40:S27-30

Dermatosis

Linear IgA bullous dermatosis in a patient with chronic renal failure: response to intravenous immunoglobulin therapy (Khan et al). 1999;40:485-8 (Brief comm.)

Dermolysis

Three new cases of transient bullous dermolysis of the newborn (Hanson et al). 1999;40:471-6 (Clin rev.)

Dinitrochlorobenzene

Lichen nitidus and dinitrochlorobenzene (Stricker and Goldberg). 1999;40:647-8 (Letter)

Diphenylcyclopropenone

Severe urticarial reaction to diphenylcyclopropenone therapy for alopecia areata (Alam et al). 1999;40:110-1 (Brief comm.)

Dowling-Degos disease

Dowling-Degos disease (reticulate pigmented anomaly of the flexures): a clinical and histopathologic study of 6 cases (Kim et al). 1999;40:462-7

Drug dosing

A comparison of topical azelaic acid 20% cream and topical metronidazole 0.75% cream in the treatment of patients with papulopustular rosacea (Maddin). 1999;40:961-5 (Therapy)

Penile lichen sclerosus et atrophicus treated with clobetasol dipropionate 0.05% cream: a retrospective clinical and histopathologic study (Dahlman-Ghozlan et al). 1999;40:451-7

Drug line

The drug line: the clinical expression of the pigmentary Voigt-Futcher line in turn derived from the embryonic ventral axial line (Shelley et al). 1999;40:736-40

Drug samples

Physician, heed thy shelf (Sherertz and Ayers). 1999;40:112-3 (Brief comm.)

E**Ear piercing**

Nickel allergy and its relationship with local nickel pollution, ear piercing, and atopic dermatitis: a population-based study from Norway (Smith-Sivertsen et al). 1999;40:726-35

Edema

Chronic urticaria and angioedema associated with thyroid autoimmunity: review and therapeutic implications (Heymann). 1999;40:229-32 (Clin rev.)

Editorials

Editorials. 1999;40:623-5, 763-6, 1008-10

Elastic tissue

Actinically degenerate elastic tissue is the likely antigenic basis of actinic granuloma of the skin and of temporal arteritis (O'Brien et al). 1999;40:214-22 (Dermatopathology)

In vivo study of skin mechanical properties in patients with systemic sclerosis (Dobrev). 1999;40:436-42

Electron spectroscopy

Quantitative detection of silicone in skin by means of electron spectroscopy for chemical analysis (ESCA) (Haycox et al). 1999;40:719-25

EMLA cream

EMLA cream as a topical anesthetic for the repeated mechanical debridement of venous leg ulcers: a double-blind, placebo-controlled study (Lok et al). 1999;40:208-13 (Therapy)

Erythema multiforme

Lupus erythematosus associated with erythema multiforme: Does Rowell's syndrome exist? (Shteyngarts et al). 1999;40:773-6 (Brief comm.)

Underpants-pattern erythema: a previously unrecognized cutaneous manifestation of extramammary Paget's disease of the genitalia with advanced metastatic spread (Murata et al). 1999; 40:949-56

Etretnate

A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction (Chan et al). 1999;40:116-20 (Brief comm.)

Exanthem

Accentuated viral exanthems in areas of inflammation (Messner et al). 1999;40:345-6 (Case rep.)

Extracorporeal photochemotherapy

Long-term application of extracorporeal photochemotherapy in severe atopic dermatitis (Prinz et al). 1999;40:577-82

F**Face**

Chronic factitial ulcer of chin cured by endodontic (root-canal) surgery for underlying periapical abscess (Shelley and Shelley). 1999;40:802-4 (Case rep.)

Facial orf (Bodnar et al). 1999;40:815-7

Lichen planopilaris or lupus? (Thomsen) (Letter); (Gerritsen et al) (Reply). 1999;40:284

Fasciitis

Nodular fasciitis: response to intralesional corticosteroids (Graham et al). 1999;40:490-2 (Brief comm.)

Finasteride

Finasteride in the treatment of men with frontal male pattern hair loss (Leyden et al). 1999;40:930-7

Fixed drug eruption

Fixed drug eruption caused by lactose in an injected botulinum toxin preparation (Cox et al). 1999;40:263-4 (Brief comm.)

Fluconazole

Antifungal sponsored supplements (Wolf et al) (Letter); (Bernhard) (Reply). 1999;40:282

Pharmacokinetics of fluconazole in skin and nails (Faergemann). 1999;40:S14-20

Fluorouracil

Destructive procedures are the standard of care for treatment of actinic keratoses (Feldman et al). 1999;40:43-7

Folliculitis

Perforating folliculitis: report of a case in a HIV-infected man (Rubio et al). 1999;40:300-2 (Case rep.)

Foot

Graft-like plantar lesion secondary to possible dorsal-to-ventral cutaneous transposition (Dragan et al). 1999;40:769-70 (Brief comm.)

Fungi

Diagnosis of onychomycosis made simple (Ellis). 1999;40:S3-8

The management of superficial candidiasis (Hay). 1999;40:S35-42

Oral therapy of common superficial fungal infections of the skin (Leshner). 1999;40:S31-4

Fungi—cont'd

- Prescribing and cost analysis of treatments of cutaneous fungal infections (Peets) (Letter); (Fleischer and Feldman) (Reply). 1999;1014-5-1013-4
- Novel treatment strategies for superficial mycoses: introduction (Elewski and Hay). 1999;40:S1-2

G

Gangrene

- Nonclostridial gas gangrene due to *Streptococcus anginosus* in a diabetic patient (Shimizu et al). 1999;40:347-9 (Case rep.)

Gauze

- Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

Genes

- Homocysteinemia and livedoid vasculitis (Gibson et al). 1999;40:29-31 (Brief comm.)

Glomus tumors

- Giant congenital multiple patch-like glomus tumors (Yoon et al). 1999;40:826-8 (Case rep.)

Granuloma

- Actinically degenerate elastic tissue is the likely antigenic basis of actinic granuloma of the skin and of temporal arteritis (O'Brien et al). 1999;40:214-22 (Dermatopathology)

Guidelines

- Alopecia areata investigational assessment guidelines (Olsen et al). 1999;40:242-6 (Special article)

H

Hair

- Finasteride in the treatment of men with frontal male pattern hair loss (Leyden et al). 1999;40:930-7
- Hormones and hair patterning in men: A role for insulin-like growth factor 1? (Signorello et al). 1999;40:200-3
- Methods of hair removal (Olsen). 1999;40:143-55 (CME article)

Herpes

- Herpes gestationis in a mother and child (Chen et al). 1999;40:847-9
- Human herpes-virus 8 seropositive patient with skin and graft Kaposi's sarcoma after lung transplantation (Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)
- Severe subepidermal blistering disorder with features of bullous pemphigoid and herpes gestations (Triffet et al). 1999;40:797-801 (Case rep.)

Herpes zoster

- Chemotherapy-induced inflammation in seborrheic keratoses mimicking disseminated herpes zoster (Williams et al). 1999;40:643-4 (Brief comm.)
- Herpes zoster in seven disparate dermatomes (zoster multiplex): report of a case and review of the literature (Vu et al). 1999;40:868-9 (Case rep.)

Hidradenitis

- Long-term results of isotretinoin in the treatment of 68 patients with hidradenitis suppurative (Boer and van Gemert). 1999;40:73-7 (Therapy)

Historical article

- The Spitz tumor 50 years later: revisiting a landmark contribution and unresolved controversy (Spatz and Barnhill). 1999;40:223-8 (Dermatopathology)

HIV

- Alterations in HIV expression in AIDS patients with psoriasis or pruritus treated with phototherapy (Breuer-McHam et al). 1999;40:48-60
- Contact dermatitis in subjects infected with HIV type 1 (Bellegrandi et al). 1999;40:777-9 (Brief comm.)

Nongenital dermatologic disease in HIV-infected women (Barton and Buchness). 1999;40:938-48

Perforating folliculitis: report of a case in a HIV-infected man (Rubio et al). 1999;40:300-2 (Case rep.)

Resolution of recalcitrant hand warts in an HIV-infected patient treated with potent antiretroviral therapy (Spach and Colven). 1999;40:818-21 (Case rep.)

Hormones

Hormones and hair patterning in men: A role for insulin-like growth factor 1? (Signorello et al). 1999;40:200-3

Hyperhidrosis

Cutaneous metastases from a chondroblastoma initially presenting as unilateral palmar hyperhidrosis (Seline and Jaskierny). 1999;40:325-7 (Case rep.)

Hyperkeratosis

Submammary granular parakeratosis: an acquired punctate hyperkeratosis of exogenous origin (Wohlrab et al). 1999;40:813-4 (Case rep.)

Hypersensitivity

- Allergic contact dermatitis: correlation of in vivo confocal imaging to routine histology (González et al). 1999;40:708-13
- Evaluating the relevance of aeroallergen sensitization in atopic eczema with the atopy patch test: a randomized, double-blind multicenter study (Darsow et al). 1999;40:187-93
- Nickel allergy and its relationship with local nickel pollution, ear piercing, and atopic dermatitis: a population-based study from Norway (Smith-Sivertsen et al). 1999;40:726-35
- Protein-contact eczematous reaction to cornstarch in clothing (Guin and Styles). 1999;40:991-4 (Brief comm.)

I

Imipramine

Imipramine-induced hyperpigmentation: four cases and a review of the literature (Ming et al). 1999;40:159-66

Immunization

Bednar tumor (pigmented dermatofibrosarcoma protuberans) occurring in a site of prior immunization: immunochemical findings and therapy (Elgart et al). 1999;40:315-7 (Case rep.)

Immunodeficiency

Persistent Sweet's syndrome occurring in a child with a primary immunodeficiency (Lipp et al). 1999;40:838-41 (Case rep.)

Immunoglobulins, intravenous

- Intracellular interleukin-4 profiles during high-dose intravenous immunoglobulin treatment of therapy-resistant atopic dermatitis (Jolles et al). 1999;40:121-3 (Brief comm.)
- Linear IgA bullous dermatosis in a patient with chronic renal failure: response to intravenous immunoglobulin therapy (Khan et al). 1999;40:485-8 (Brief comm.)
- Therapeutic failure of high-dose intravenous immunoglobulin in pemphigus vulgaris (Jolles et al). 1999;40:499-500 (Letter)

Infants

- The cumulative incidence of atopic dermatitis in the first 12 months among Chinese, Vietnamese, and Caucasian infants born in Melbourne, Australia (Mar et al). 1999;40:597-602
- Giant congenital multiple patch-like glomus tumors (Yoon et al). 1999;40:826-8 (Case rep.)
- Readability of skin cancer prevention brochures targeting parents of young children (Slaten et al). 1999;40:997-9 (Brief comm.)

Infant, newborn

- The clinical spectrum of anti-Ro-positive cutaneous neonatal lupus erythematosus (Weston et al). 1999;40:675-81
- Severe paronychia due to zidovudine-induced neutropenia in a neonate (Russo et al). 1999;40:322-4 (Case rep.)
- Three new cases of transient bullous dermolysis of the newborn (Hanson et al). 1999;40:471-6 (Clin rev.)

Infection

Cutaneous New World leishmaniasis-sporotrichosis coinfection:

Infection—cont'd

report of 3 cases (Pilar Agudelo et al). 1999;40:1002-4 (Brief comm.)

Cutaneous phaeohyphomycosis due to *Cladophialophora bantiana* (Patterson et al). 1999;40:364-6 (Case rep.)

Erysipeloid sporotrichosis in a woman with Cushing's disease (Kim et al). 1999;40:272-4 (Brief comm.)

Helicobacter pylori eradication treatment reduces the severity of rosacea (Utaş et al). 1999;40:433-5

The management of superficial candidiasis (Hay). 1999;40:S35-42
Oral therapy of common superficial fungal infections of the skin (Leshner). 1999;40:S31-4

Prescribing and cost analysis of treatments of cutaneous fungal infections (Peets) (Letter); (Fleischer and Feldman) (Reply). 1999;1014-5-1013-4

Treatment strategies for superficial mycoses (Elewski and Hay). 1999;40:S1-2

Treatment of tinea capitis: beyond griseofulvin (Elewski). 1999;40:S27-30

In memoriam

John Dudley Everall: skin physician and surgeon. 1999;40:1011-2

Interferon-alpha

Interferon alfa-2b-induced Meyerson's nevi in a patient with dysplastic nevus syndrome (Krischer et al). 1999;40:105-6 (Brief comm.)

A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction (Chan et al). 1999;40:116-20 (Brief comm.)

Scleromyxedema: treatment with interferon alfa (Tschen et al). 1999;40:303-7 (Case rep.)

Interleukin-4

Intracellular interleukin-4 profiles during high-dose intravenous immunoglobulin treatment of therapy-resistant atopic dermatitis (Jolles et al). 1999;40:121-3 (Brief comm.)

Iotaderma

Iotaderma. 1999;40:104, 249, 478, 632, 762, 990

Isotretinoin

Long-term results of isotretinoin in the treatment of 68 patients with hidradenitis suppurativa (Boer and van Gemert). 1999;40:73-7 (Therapy)

K**Kaposi's sarcoma**

Human herpes-virus 8 seropositive patient with skin and graft Kaposi's sarcoma after lung transplantation (Sachsenberg-Studer et al). 1999;40:308-11 (Case rep.)

Post-irradiation primary Kaposi's sarcoma of the head and neck (De Pasquale et al). 1999;40:312-4 (Case rep.)

Keratitis

Peripheral ulcerative keratitis—an extracutaneous neutrophilic disorder: report of a patient with rheumatoid arthritis, pustular vasculitis, pyoderma gangrenosum, and Sweet's syndrome with an excellent response to cyclosporine therapy (Wilson et al). 1999;40:331-4 (Case rep.)

Keratosis

Chemotherapy-induced inflammation in seborrheic keratoses mimicking disseminated herpes zoster (Williams et al). 1999;40:643-4 (Brief comm.)

Destructive procedures are the standard of care for treatment of actinic keratoses (Feldman et al). 1999;40:43-7

Disseminated superficial actinic porokeratosis: treatment with topical tacalcitol (Böhm et al). 1999;40:479-80 (Brief comm.)

Synchronous appearance of keratoacanthomas in burn scar and skin graft donor site shortly after injury (Tamir et al). 1999;40:870-1 (Case rep.)

Kidney failure

Five cases of calciphylaxis and a review of the literature (Oh et al). 1999;40:979-87 (Clin rev.)

Linear IgA bullous dermatosis in a patient with chronic renal failure: response to intravenous immunoglobulin therapy (Khan et al). 1999;40:485-8 (Brief comm.)

Kidney transplantation

Awareness of skin cancer by kidney transplant patients (Cowen and Billingsley). 1999;40:697-701

Kindler syndrome

Kindler syndrome: absence of definite ultrastructural feature (Şentürk et al). 1999;40:335-7 (Case rep.)

L**Language**

Abbrevophilia (Teufelsdröckh) (Letter); (Bernhard) (Reply). 1999;40:498-9

Dermatologic(al) sesquipedalianism (Bernhard). 1999;40:626-30 (The Blue Journal)

Laser surgery

A clinical and histologic prospective controlled comparative study of the picosecond titanium:sapphire (795 nm) laser versus the Q-switched alexandrite (752 nm) laser for removing tattoo pigment (Herd et al). 1999;40:603-6

Depth of vaporization and the effect of pulse stacking with a high-energy, pulsed carbon dioxide laser (Fitzpatrick et al). 1999;40:615-22 (Derm. surg.)

The high-energy pulsed carbon dioxide laser for immediate scar resurfacing (Greenbaum and Rubin). 1999;40:988-90 (Pearls)

Increased dermal angiogenesis after low-intensity laser therapy for a chronic radiation ulcer determined by a video measuring system (Schindl et al). 1999;40:481-4 (Brief comm.)

Long-term effectiveness and side effects of carbon dioxide laser resurfacing for photoaged facial skin (Manuskiatti et al). 1999;40:401-11

Prophylactic antibiotics in patients undergoing laser resurfacing of the skin (Manuskiatti et al). 1999;40:77-84 (Therapy)

Leishmaniasis

Cutaneous New World leishmaniasis-sporotrichosis coinfection: report of 3 cases (Pilar Agudelo et al). 1999;40:1002-4 (Brief comm.)

Letters

Letters. 1999;40:129-31, 282-6, 497-500, 786-8, 1013-6

Leukemia, chronic myelogenous

Specific cutaneous infiltrates in patients with myelogenous leukemia: a clinicopathologic study of 26 patients with assessment of diagnostic criteria (Kaddu et al). 1999;40:966-78 (Dermatopathology)

Sweet's syndrome associated with chronic myelogenous leukemia: demonstration of leukemic cells within a skin lesion (Urano et al). 1999;40:275-8 (Brief comm.)

Leukomelanosis

Contact leukomelanosis induced by the leaves of *Piper betle* L. (Piperaceae): a clinical and histopathologic survey (Liao et al). 1999;40:583-9

Lichens

Lichen nitidus and dinitrochlorobenzene (Stricker and Goldberg). 1999;40:647-8 (Letter)

Penile lichen sclerosis et atrophicus treated with clobetasol dipropionate 0.05% cream: a retrospective clinical and histopathologic study (Dahlman-Ghozlan et al). 1999;40:451-7

Lip

Adverse reactions after cosmetic lip augmentation with permanent biologically inert implant materials (Hoffmann et al). 1999;40:100-2 (Derm. surg.)

Lipodystrophy

Protease inhibitor-induced lipodystrophy (Williamson et al). 1999;40:635-6 (Brief comm.)

Livedo reticularis

Livedo reticularis and livedoid vasculitis responding to PUVA therapy (Choi and Hann). 1999;40:204-7 (Therapy)

Lupus erythematosus

The clinical spectrum of anti-Ro-positive cutaneous neonatal lupus erythematosus (Weston et al). 1999;40:675-81

Lupus erythematosus associated with erythema multiforme: Does Rowell's syndrome exist? (Shteyngarts et al). 1999;40:773-6 (Brief comm.)

Subacute cutaneous lupus erythematosus versus systemic lupus erythematosus (Callen) (Letter); (Jablonka et al) (Reply). 1999;40:129-30

Lupus erythematosus, systemic

Cutaneous *Mycobacterium kansasii* infection in a patient with systemic lupus erythematosus: case report and review (Czelusta and Moore). 1999;40:359-63 (Case rep.)

Lymphoma, large cell

Primary cutaneous Ki-1 (CD30) positive anaplastic large cell lymphoma in adulthood (Tomaszewski et al). 1999;40:857-61 (Case rep.)

Lymphoma, T-cell

Atypical hydroa vacciniforme in childhood: from a smoldering stage to Epstein-Barr virus-associated lymphoid malignancy? (Iwatsuki et al) (Letter); (Sangüeza and Magaña) (Reply). 1999;40:284

Cyclosporine-associated lymphoma (Zackheim) (Letter); (Koo and Lebwohl) (Reply). 1999;40:1015-6

Nasal and nasal-type natural killer/T-cell lymphoma (Hirakawa et al). 1999;40:268-71 (Brief comm.)

A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction (Chan et al). 1999;40:116-20 (Brief comm.)

Lymphoma, T-cell, cutaneous

Nasal and nasal-type T/NK-cell lymphoma with cutaneous involvement (Kato et al). 1999;40:850-6 (Case rep.)

Prognosis in cutaneous T-cell lymphoma by skin stage: long-term survival in 489 patients (Zackheim et al). 1999;40:418-25

M

Melanoma

Clinical and dermatoscopic criteria for the preoperative evaluation of cutaneous melanoma thickness (Argenziano et al). 1999;40:61-8

Clinically subtle primary cutaneous melanoma (Koch and Henneberry). 1999;40:252-4 (Brief comm.)

Cutaneous melanoma histologically associated with a nevus and melanoma de novo have a different profile of risk: results from a case-control study (Carli et al). 1999;40:549-57

The misdiagnosis of malignant melanoma (Grant-Kels et al). 1999;40:539-48

Mohs micrographic surgery for the treatment of in situ nail apparatus melanoma: a case report (Banfield et al). 1999;40:98-9 (Derm. surg.)

Risk of cutaneous malignant melanoma in patients with nonfamilial atypical nevi from a pigmented lesions clinic (Snels et al). 1999;40:686-93

The Spitz tumor 50 years later: revisiting a landmark contribution and unresolved controversy (Spatz and Barnhill). 1999;40:223-8 (Dermatopathology)

Update on the incidence and mortality from melanoma in the United States (Hall et al). 1999;40:35-42

Men

Finasteride in the treatment of men with frontal male pattern hair loss (Leyden et al). 1999;40:930-7

Paget's disease of the male breast associated with intraductal carcinoma (Bodnar et al). 1999;40:829-31 (Case rep.)

Methotrexate

Low-dose oral pulse methotrexate as monotherapy in elderly patients with bullous pemphigoid (Heilborn et al). 1999;40:741-9 (Therapy)

Methotrexate-induced papular eruption in patients with rheumatic diseases: a distinctive adverse cutaneous reaction produced by methotrexate in patients with collagen vascular diseases (Goerttler et al). 1999;40:702-7

An open study of tissue adhesive in full-thickness skin grafting (Craven and Telfer). 1999;40:607-10

Metronidazole

A comparison of topical azelaic acid 20% cream and topical metronidazole 0.75% cream in the treatment of patients with papulopustular rosacea (Maddin). 1999;40:961-5 (Therapy)

Microfine zinc oxide

Microfine zinc oxide (Z-Cote) as a photostable UVA/UVB sun-block agent (Mitchnick et al). 1999;40:85-90 (Therapy)

Microscopy

Clinical and dermatoscopic criteria for the preoperative evaluation of cutaneous melanoma thickness (Argenziano et al). 1999;40:61-8

Morphologic changes of pigmented skin lesions: a useful extension of the ABCD rule for dermatoscopy (Kittler et al). 1999;40:558-62

Possible hazard to patients from immersion oil used for epiluminescence microscopy (Binder et al). 1999;40:499 (Letter)

Reevaluation of the ABCD rule for epiluminescence microscopy (Binder et al). 1999;40:171-6

Mohs surgery

Mohs micrographic surgery for the treatment of in situ nail apparatus melanoma: a case report (Banfield et al). 1999;40:98-9 (Derm. surg.)

Monoclonal gammopathies

Monoclonal gammopathies and associated skin disorders (Daoud et al). 1999;40:507-35 (CME article)

Mustard gas

Eruptive melanocytic nevi and cherry angiomas secondary to exposure to sulfur mustard gas (Firooz and Komeili). 1999;40:646-7 (Letter)

Mycobacterium kansasii

Cutaneous *Mycobacterium kansasii* infection in a patient with systemic lupus erythematosus: case report and review (Czelusta and Moore). 1999;40:359-63 (Case rep.)

Mycophenolate mofetil

Mycophenolate mofetil in autoimmune and inflammatory skin disorders (Nousari et al). 1999;40:265-7 (Brief comm.)

Mycophenolate mofetil: a new therapeutic option in the treatment of blistering autoimmune diseases (Grundmann-Kollmann et al). 1999;40:957-60 (Therapy)

Mycosis, fungoides

The management of superficial candidiasis (Hay). 1999;40:S35-42

Pigmented purpura-like eruption as cutaneous sign of mycosis fungoides with autoimmune purpura (Puddu et al). 1999;40:298-9 (Case rep.)

Prognostic factor analysis in mycosis fungoides/Sézary syndrome (Diamandidou et al). 1999;40:914-24

Novel treatment strategies for superficial mycoses: introduction (Elewski and Hay). 1999;40:S1-2

N

Nabumetone

Pseudoporphyria induced by nabumetone (Krischer et al). 1999;40:492-3 (Brief comm.)

Nails

- Chevron nail (Baran and Dawber). 1999;40:498 (Letter)
- Chevron nail/herringbone nail (Parry). 1999;40:498-9 (Letter)
- Curved nail of the fourth toe (Yotsumoto and Kanzaki). 1999;40:124-5 (Brief comm.)
- Diagnosis of onychomycosis made simple (Ellis). 1999;40:S3-8
- Mohs micrographic surgery for the treatment of in situ nail apparatus melanoma: a case report (Banfield et al). 1999;40:98-9 (Derm. surg.)
- Onychomycosis: therapeutic update (Scher). 1999;40:S21-6
- Pharmacokinetics of fluconazole in skin and nails (Faergemann). 1999;40:S14-20
- Twenty-nail dystrophy and vitiligo: a rare association (Peloro and Pride). 1999;40:488-90 (Brief comm.)

Neck

- HPV 18-induced pigmented bowenoid papulosis of the neck (Baron et al). 1999;40:633-4 (Brief comm.)

Necrosis

- Plasmapheresis as an adjunct treatment in toxic epidermal necrolysis (Egan et al). 1999;40:458-61

Neutropenia

- Severe paronychia due to zidovudine-induced neutropenia in a neonate (Russo et al). 1999;40:322-4 (Case rep.)

Nevus

- Cutaneous melanoma histologically associated with a nevus and melanoma de novo have a different profile of risk: results from a case-control study (Carli et al). 1999;40:549-57
- The diagnostic yield in submitting nevi for histologic examination (Reeck et al). 1999;40:567-71
- Eruptive melanocytic nevi and cherry angiomas secondary to exposure to sulfur mustard gas (Firooz and Komeili). 1999;40:646-7 (Letter)
- Eruptive widespread Spitz nevi: Can pregnancy be a stimulating factor? (Onsun et al). 1999;40:866-7 (Case rep.)
- Interferon alfa-2b-induced Meyerson's nevi in a patient with dysplastic nevus syndrome (Krischer et al). 1999;40:105-6 (Brief comm.)
- Nevus depigmentosus: clinical features and histopathologic characteristics in 67 patients (Lee et al). 1999;40:21-7
- Risk of cutaneous malignant melanoma in patients with nonfamilial atypical nevi from a pigmented lesions clinic (Snels et al). 1999;40:686-93
- Zosteriform distribution of acantholytic dyskeratotic epidermal nevus? (Elston). 1999;40:647 (Letter)

Nose

- Nasal and nasal-type natural killer/T-cell lymphoma (Hirakawa et al). 1999;40:268-71 (Brief comm.)
- Nasal and nasal-type T/NK-cell lymphoma with cutaneous involvement (Kato et al). 1999;40:850-6 (Case rep.)
- Treatment of cutaneous lymphoid hyperplasia with thalidomide: report of two cases (Benchikhi et al). 1999;40:1005-7 (Brief comm.)

O**Orf**

- Facial orf (Bodnar et al). 1999;40:815-7

Osteoarthritis

- Clinical pearl: accentuated transverse hallux skin crease—a cutaneous skin marker for hallux rigidus (osteoarthritis of the big toe joint) (Lemont and Sorrento). 1999;40:631-2 (Pearls)

P**Paget's disease**

- Paget's disease of the male breast associated with intraductal carcinoma (Bodnar et al). 1999;40:829-31 (Case rep.)
- Underpants-pattern erythema: a previously unrecognized cutaneous manifestation of extramammary Paget's disease of the genitalia with advanced metastatic spread (Murata et al). 1999;40:949-56

Pain

- EMLA cream as a topical anesthetic for the repeated mechanical debridement of venous leg ulcers: a double-blind, placebo-controlled study (Lok et al). 1999;40:208-13 (Therapy)

Palmoplantar pompholyx

- An open study of tissue adhesive in full-thickness skin grafting (Craven and Telfer). 1999;40:607-10

Papillomavirus

- Detection of human papillomavirus type 10 DNA in eccrine syringofibroadenomatosis occurring in Clouston's syndrome (Carlson et al). 1999;40:259-62 (Brief comm.)
- HPV 18-induced pigmented bowenoid papulosis of the neck (Baron et al). 1999;40:633-4 (Brief comm.)

Parakeratosis

- Submammary granular parakeratosis: an acquired punctate hyperkeratosis of exogenous origin (Wohlrab et al). 1999;40:813-4 (Case rep.)

Paraneoplastic syndromes

- Immunoablative high-dose cyclophosphamide without stem cell rescue in paraneoplastic pemphigus: report of a case and review of this new therapy for severe autoimmune disease (Nousari et al). 1999;40:750-4 (Therapy)
- Periplakin and envoplakin are target antigens in canine and human paraneoplastic pemphigus (de Bruin et al). 1999;40:682-5

Pearls

- Pearls. 1999;40:103-4, 247-21, 477-8, 631-2, 760-2, 988-90

Pemphigoid, bullous

- Bazex syndrome mimicking a primary autoimmune bullous disorder (Mutasim and Meiri). 1999;40:822-5 (Case rep.)
- Childhood bullous pemphigoid: report of a case with characterization of the targeted antigens (Trüeb et al). 1999;40:338-44 (Case rep.)

Pemphigus

- Anti-epiligrin cicatricial pemphigoid with IgG autoantibodies to the β and γ subunits of laminin 5 (Fujimoto et al). 1999;40:637-9 (Brief comm.)
- The clinical phenotype of pemphigus is defined by the anti-desmoglein autoantibody profile (Amagai et al). 1999;40:167-70
- Effect of colchicine in the subcorneal pustular dermatosis type of IgA pemphigus (Hodak et al). 1999;40:91-4 (Therapy)
- Immunoablative high-dose cyclophosphamide without stem cell rescue in paraneoplastic pemphigus: report of a case and review of this new therapy for severe autoimmune disease (Nousari et al). 1999;40:750-4 (Therapy)
- Low-dose oral pulse methotrexate as monotherapy in elderly patients with bullous pemphigoid (Heilborn et al). 1999;40:741-9 (Therapy)
- Making sense of antigens and antibodies in pemphigus (Anhalt). 1999;40:763-6 (Editorial)
- The new pemphigus variants (Robinson et al). 1999;40:649-71 (CME article)
- Paraneoplastic pemphigus associated with follicular dendritic cell sarcoma arising from Castleman's tumor (Lee et al). 1999;40:294-7 (Case rep.)
- Periplakin and envoplakin are target antigens in canine and human paraneoplastic pemphigus (de Bruin et al). 1999;40:682-5
- Severe nonendemic pemphigus foliaceus presenting in the postpartum period (Nousari et al). 1999;40:845-6 (Case rep.)
- Severe subepidermal blistering disorder with features of bullous pemphigoid and herpes gestations (Triffet et al). 1999;40:797-801 (Case rep.)
- Therapeutic failure of high-dose intravenous immunoglobulin in pemphigus vulgaris (Jolles et al). 1999;40:499-500 (Letter)

Periodic synopsis

- Periodic synopsis. 1999;40:233-41

Phaeohyphomycosis

- Cutaneous phaeohyphomycosis due to *Cladophialophora bantiana* (Patterson et al). 1999;40:364-6 (Case rep.)

Phakomatosis

Phakomatosis pigmentovascularis type IIa (Mandt et al). 1999;40:318-21 (Case rep.)

Phenobarbital

Stevens-Johnson syndrome limited to multiple sites of radiation therapy in a patient receiving phenobarbital (Duncan et al). 1999;40:493-6 (Brief comm.)

Phenotype

The clinical phenotype of pemphigus is defined by the anti-desmoglein autoantibody profile (Amagai et al). 1999;40:167-70
The epidermal phenotype during initiation of the psoriatic lesion in the symptomless margin of relapsing psoriasis (Castelijns et al). 1999;40:901-9

Phenylalanine

Phenylalanine with UVA for the treatment of vitiligo needs more testing for possible side effects (Burkhart and Burkhart). 1999;40:1015 (Letter)

Phonophoresis

Quality of life improvement in a patient with severe atopic dermatitis treated with photophoresis (Mohla et al). 1999;40:780-2 (Brief comm.)
Treatment of cutaneous sarcoidosis using phonophoresis (Gogstetter and Goldsmith). 1999;40:767-8 (Brief comm.)

Photosensitivity disorders

Photosensitivity due to alprazolam with positive oral photochallenge test after 17 days administration (Watanabe et al). 1999;40:832-3 (Case rep.)
Pseudoporphyria induced by nabumetone (Krischer et al). 1999;40:492-3 (Brief comm.)
Pyrazinamide-induced lichenoid photodermatitis (Choonhakarn and Janma). 1999;40:645-6 (Letter)

Phototherapy

Alterations in HIV expression in AIDS patients with psoriasis or pruritus treated with phototherapy (Breuer-McHam et al). 1999;40:48-60
Phototherapy for atopic eczema with narrow-band UVB (Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)
Suberythemogenic narrow-band UVB is markedly more effective than conventional UVB in treatment of psoriasis vulgaris (Walters et al). 1999;40X893-900
Vitiligo: phototherapeutic options (Gambichler). 1999;40:645 (Letter)

Pigmentation disorders

Contact leukmelanosis induced by the leaves of *Piper betle* L. (Piperaceae): a clinical and histopathologic survey (Liao et al). 1999;40:583-9
The diagnostic value of café-au-lait macules (Landau and Krafchik). 1999;40:877-92 (CME article)
Imipramine-induced hyperpigmentation: four cases and a review of the literature (Ming et al). 1999;40:159-66
Morphologic changes of pigmented skin lesions: a useful extension of the ABCD rule for dermatoscopy (Kittler et al). 1999;40:558-62
Photoinduced dermal pigmentation in patients taking tricyclic antidepressants: histology, electron microscopy, and energy dispersive spectroscopy (Sicari et al). 1999;40:290-3 (Case rep.)
Risk of cutaneous malignant melanoma in patients with nonfamilial atypical nevi from a pigmented lesions clinic (Snels et al). 1999;40:686-93

Pigmentovascularis

Phakomatosis pigmentovascularis type IIa (Mandt et al). 1999;40:318-21 (Case rep.)

Pigments

A clinical and histologic prospective controlled comparative study of the picosecond titanium:sapphire (795 nm) laser versus the Q-switched alexandrite (752 nm) laser for removing tattoo pigment (Herd et al). 1999;40:603-6

Plantar lesions

Graft-like plantar lesion secondary to possible dorsal-to-ventral cutaneous transposition (Dragan et al). 1999;40:769-70 (Brief comm.)

Plasmapheresis

Plasmapheresis as an adjunct treatment in toxic epidermal necrolysis (Egan et al). 1999;40:458-61

Plasmacytoma

POEMS syndrome: cicatricial alopecia as an unusual cutaneous manifestation associated with an underlying plasmacytoma (Weichenthal et al). 1999;40:808-12 (Case rep.)

Pneumonia

Dermatomyositis associated with bronchiolitis obliterans organizing pneumonia (BOOP) (Knoell et al). 1999;40:328-30 (Case rep.)

POEMS syndrome

POEMS syndrome: cicatricial alopecia as an unusual cutaneous manifestation associated with an underlying plasmacytoma (Weichenthal et al). 1999;40:808-12 (Case rep.)

Pregnancy

Eruptive widespread Spitz nevi: Can pregnancy be a stimulating factor? (Onsun et al). 1999;40:866-7 (Case rep.)
Pregnancy dermatoses (Jones and Black). 1999;40:233-41 (Periodic synopsis)
Severe nonendemic pemphigus foliaceus presenting in the postpartum period (Nousari et al). 1999;40:845-6 (Case rep.)

Prevention

Participant satisfaction and value in American Academy of Dermatology and American Cancer Society skin cancer screening programs in Massachusetts (Geller et al). 1999;40:563-6
The power of prevention (Howell). 1999;40:623-5 (Editorial)
Readability of skin cancer prevention brochures targeting parents of young children (Slaten et al). 1999;40:997-9 (Brief comm.)

Primary health care

The gatekeeper model is inefficient for the delivery of dermatologic services (Feldman et al). 1999;40:426-32

Pruritus

Alterations in HIV expression in AIDS patients with psoriasis or pruritus treated with phototherapy (Breuer-McHam et al). 1999;40:48-60

Pseudolymphoma

Treatment of cutaneous lymphoid hyperplasia with thalidomide: report of two cases (Benchikhi et al). 1999;40:1005-7 (Brief comm.)

Pseudoporphyria

Pseudoporphyria induced by nabumetone (Krischer et al). 1999;40:492-3 (Brief comm.)

Psoriasis

Cancer incidence among Finnish psoriasis patients treated with 8-methoxypsoralen bath PUVA (Hannuksela-Svahn et al). 1999;40:694-6
The epidermal phenotype during initiation of the psoriatic lesion in the symptomless margin of relapsing psoriasis (Castelijns et al). 1999;40:901-9
Suberythemogenic narrow-band UVB is markedly more effective than conventional UVB in treatment of psoriasis vulgaris (Walters et al). 1999;40X893-900

Purpura

Pigmented purpura-like eruption as cutaneous sign of mycosis fungoides with autoimmune purpura (Puddu et al). 1999;40:298-9 (Case rep.)
Purpuric agave dermatitis (Ricks et al). 1999;40:356-8 (Case rep.)

PUVA therapy

Cancer incidence among Finnish psoriasis patients treated with 8-

PUVA therapy—cont'd

methoxypsoralen bath PUVA (Hannuksela-Svahn et al). 1999;40:694-6

Livedo reticularis and livedoid vasculitis responding to PUVA therapy (Choi and Hann). 1999;40:204-7 (Therapy)

Phototherapy for atopic eczema with narrow-band UVB (Grundmann-Kollmann et al). 1999;40:995-7 (Brief comm.)

Pyrazinamide

Pyrazinamide-induced lichenoid photodermatitis (Choonhakarn and Janma). 1999;40:645-6 (Letter)

R**Racial factors**

The cumulative incidence of atopic dermatitis in the first 12 months among Chinese, Vietnamese, and Caucasian infants born in Melbourne, Australia (Mar et al). 1999;40:597-602

Research

Optimal growth conditions for the determination of the antifungal susceptibility of three species of dermatophytes with the use of a microdilution method (Norris et al). 1999;40:S9-13

Rheumatoid diseases

Methotrexate-induced papular eruption in patients with rheumatic diseases: a distinctive adverse cutaneous reaction produced by methotrexate in patients with collagen vascular diseases (Goertler et al). 1999;40:702-7

Rosacea

A comparison of topical azelaic acid 20% cream and topical metronidazole 0.75% cream in the treatment of patients with papulopustular rosacea (Maddin). 1999;40:961-5 (Therapy)

Helicobacter pylori eradication treatment reduces the severity of rosacea (Utaş et al). 1999;40:433-5

Rowell's syndrome

Lupus erythematosus associated with erythema multiforme: Does Rowell's syndrome exist? (Shteyngarts et al). 1999;40:773-6 (Brief comm.)

S**Sarcoidosis**

Ichthyosiform sarcoidosis (Cather and Cohen). 1999;40:862-4 (Case rep.)

Treatment of cutaneous sarcoidosis using phonophoresis (Gogstetter and Goldsmith). 1999;40:767-8 (Brief comm.)

Scleroderma

UVA therapy for scleroderma (Steger and Matthews) (Letter); (Kerscher and Behrens) (Reply). 1999;40:787-8

Sclerosis

In vivo study of skin mechanical properties in patients with systemic sclerosis (Dobrev). 1999;40:436-42

Scleromyxedema

Scleromyxedema: treatment with interferon alfa (Tschen et al). 1999;40:303-7 (Case rep.)

Self-assessment

Self-Assessment examinations. 1999;40:134-8, 501-4, 789-93

Self-Assessment examinations: answers. 1999;40:139-42, 505, 794-6

Sézary syndrome

Prognostic factor analysis in mycosis fungoides/Sézary syndrome (Diamandidou et al). 1999;40:914-24

Silicone

Quantitative detection of silicone in skin by means of electron spectroscopy for chemical analysis (ESCA) (Haycox et al). 1999;40:719-25

Skin aging

Long-term effectiveness and side effects of carbon dioxide laser resurfacing for photoaged facial skin (Manuskiatti et al). 1999;40:401-11

Skin crease

Clinical pearl: accentuated transverse hallux skin crease—a cutaneous skin marker for hallux rigidus (osteoarthritis of the big toe joint) (Lemont and Sorrento). 1999;40:631-2 (Pearls)

Skin diseases

Long-term antibiotic therapy for balanitis xerotica obliterans (Shelley et al). 1999;40:69-72 (Therapy)

Monoclonal gammopathies and associated skin disorders (Daoud et al). 1999;40:507-35 (CME article)

Nongenital dermatologic disease in HIV-infected women (Barton and Buchness). 1999;40:938-48

Time-efficiency of nondermatologists compared with dermatologists in the care of skin disease (Feldman et al). 1999;40:194-9

Skin neoplasms

Awareness of skin cancer by kidney transplant patients (Cowen and Billingsley). 1999;40:697-701

Effects of altitude and latitude on ambient UVB radiation (Rigel et al). 1999;40:114-15 (Brief comm.)

Participant satisfaction and value in American Academy of Dermatology and American Cancer Society skin cancer screening programs in Massachusetts (Geller et al). 1999;40:563-6

Primary adenoid cystic carcinoma of skin with lung metastasis (Chang et al). 1999;40:640-2 (Brief comm.)

Skin cancer in Australian heart transplant recipients (Ong et al). 1999;40:27-34

Skin cancer in kidney and heart transplant recipients and different long-term immunosuppressive therapy regimens (Jensen et al). 1999;40:177-86

Skin transplantation

Epidermal grafts for treatment of stable and progressive vitiligo (Kim et al). 1999;40:412-7

An open study of tissue adhesive in full-thickness skin grafting (Craven and Telfer). 1999;40:607-10

Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

Surgical pearl: the first dorsal web of the hand as a graft donor site for the defects on the hand and digits (Cheng et al). 1999;40:250-1 (Pearls)

Synchronous appearance of keratoacanthomas in burn scar and skin graft donor site shortly after injury (Tamir et al). 1999;40:870-1 (Case rep.)

Special articles

Special articles. 1999;40:126-8, 242-6, 755-7

Sporotrichosis

Disseminated sporotrichosis with extensive cutaneous involvement in a patient with AIDS (Ware et al). 1999;40:350-5 (Case rep.)

Streptococcus anginosus

Nonclostridial gas gangrene due to *Streptococcus anginosus* in a diabetic patient (Shimizu et al). 1999;40:347-9 (Case rep.)

Stevens-Johnson syndrome

Stevens-Johnson syndrome limited to multiple sites of radiation therapy in a patient receiving phenobarbital (Duncan et al). 1999;40:493-6 (Brief comm.)

Substance abuse

The affliction of Job: poisoned! (Gorman and Kaplan). 1999;40:126-8 (Special article)

Suction

Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

Sunlight

Microfine zinc oxide (Z-Cote) as a photostable UVA/UVB sunblock agent (Mitchnick et al). 1999;40:85-90 (Therapy)

Sunlight—cont'd

A population-based survey on the use of artificial tanning devices in the Province of Québec, Canada (Rhainds et al). 1999;40:572-6

Surgical pearls

Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

Surgical pearl: the first dorsal web of the hand as a graft donor site for the defects on the hand and digits (Cheng et al). 1999;40:250-1 (Pearls)

Surgical pearl: the high-energy pulsed carbon dioxide laser for immediate scar resurfacing (Greenbaum and Rubin). 1999;40:988-90. (Pearls)

Surgical pearl: the modified buried dermal suture (Whalen et al). 1999;40:103-4 (Pearls)

Surgical pearl: versatile paper clip comedo extractor for acne surgery (Cvancara and Meffert). 1999;40:477-8 (Pearls)

Suture techniques

Surgical pearl: the modified buried dermal suture (Whalen et al). 1999;40:103 (Pearls)

Sweet's syndrome

Persistent Sweet's syndrome occurring in a child with a primary immunodeficiency (Lipp et al). 1999;40:838-41 (Case rep.)

Sweet's syndrome associated with chronic myelogenous leukemia: demonstration of leukemic cells within a skin lesion (Urano et al). 1999;40:275-8 (Brief comm.)

Syringofibroadenomatosis

Detection of human papillomavirus type 10 DNA in eccrine syringofibroadenomatosis occurring in Clouston's syndrome (Carlson et al). 1999;40:259-62 (Brief comm.)

Systemic disease

Skin Signs of Systemic Disease (Braverman). 1999;40:786-7 (Letter)

T

Tacalcitol

Disseminated superficial actinic porokeratosis: treatment with topical tacalcitol (Böhm et al). 1999;40:479-80 (Brief comm.)

Tattooing

A clinical and histologic prospective controlled comparative study of the picosecond titanium:sapphire (795 nm) laser versus the Q-switched alexandrite (752 nm) laser for removing tattoo pigment (Herd et al). 1999;40:603-6

Tretinoin in the removal of eyeliner tattoo (Chiang et al). 1999;40:999-1001 (Brief comm.)

Thalidomide

Treatment of cutaneous lymphoid hyperplasia with thalidomide: report of two cases (Benchikhi et al). 1999;40:1005-7 (Brief comm.)

Therapy

Therapy. 1999;40:69-94, 204-14, 612-14, 741-54, 957-65

Therapy, immunosuppressive

Skin cancer in kidney and heart transplant recipients and different long-term immunosuppressive therapy regimens (Jensen et al). 1999;40:177-86

Thrombocytopenia

Cutaneous angiosarcoma with thrombocytopenia (Satoh et al). 1999;40:872-6 (Case rep.)

Tinea capitis

Treatment of tinea capitis: beyond griseofulvin (Elewski). 1999;40:S27-30

Tinea unguium

Antifungal sponsored supplements (Wolf et al) (Letter); (Bernhard) (Reply). 1999;40:282

Diagnosis of onychomycosis made simple (Ellis). 1999;40:S3-8

Onychomycosis: therapeutic update (Scher). 1999;40:S21-6

Tissue adhesive

An open study of tissue adhesive in full-thickness skin grafting (Craven and Telfer). 1999;40:607-10

Toe

Clinical pearl: accentuated transverse hallux skin crease—a cutaneous skin marker for hallux rigidus (osteoarthritis of the big toe joint) (Lemont and Sorrento). 1999;40:631-2 (Pearls)

Transplants

Skin cancer in Australian heart transplant recipients (Ong et al). 1999;40:27-34

Tretinoin

Tretinoin in the removal of eyeliner tattoo (Chiang et al). 1999;40:999-1001 (Brief comm.)

U

Ulcers

Chronic factitial ulcer of chin cured by endodontic (root-canal) surgery for underlying periapical abscess (Shelley and Shelley). 1999;40:802-4 (Case rep.)

EMLA cream as a topical anesthetic for the repeated mechanical debridement of venous leg ulcers: a double-blind, placebo-controlled study (Lok et al). 1999;40:208-13 (Therapy)

Increased dermal angiogenesis after low-intensity laser therapy for a chronic radiation ulcer determined by a video measuring system (Schindl et al). 1999;40:481-4 (Brief comm.)

Pressure ulcers (Caswell) (Letter); (Kanj) (Reply). 1999;40:131

Ultraviolet rays

Effects of altitude and latitude on ambient UVB radiation (Rigel et al). 1999;40:114-5 (Brief comm.)

Microfine zinc oxide (Z-Cote) as a photostable UVA/UVB sun-block agent (Mitschnick et al). 1999;40:85-90 (Therapy)

A population-based survey on the use of artificial tanning devices in the Province of Québec, Canada (Rhainds et al). 1999;40:572-6

Sunscreens and vitamin D levels (Marks) (Letter); (DiGiovanna and Kraemer) (Reply). 1999;40:497

Ultraviolet therapy

Phenylalanine with UVA for the treatment of vitiligo needs more testing for possible side effects (Burkhart and Burkhart). 1999;40:1015 (Letter)

Suberythemogenic narrow-band UVB is markedly more effective than conventional UVB in treatment of psoriasis vulgaris (Walters et al). 1999;40:893-900

UVA therapy for scleroderma (Steger and Matthews) (Letter); (Kersch and Behrens) (Reply). 1999;40:787-8

Urticaria

Chronic idiopathic urticaria: comparison of the clinical features of patients with and without anti-Fcε or anti-IgE autoantibodies (Sabroe et al). 1999;40:443-50

Chronic urticaria and angioedema associated with thyroid autoimmunity: review and therapeutic implications (Heymann). 1999;40:229-32 (Clin rev.)

Severe urticarial reaction to diphenylcyclopropenone therapy for alopecia areata (Alam et al). 1999;40:110-1 (Brief comm.)

V

Vasculitis

Homocysteinemia and livedoid vasculitis (Gibson et al). 1999;40:29-31 (Brief comm.)

Livedo reticularis and livedoid vasculitis responding to PUVA therapy (Choi and Hann). 1999;40:204-7 (Therapy)

Ovarian cancer presenting as leukocytoclastic vasculitis (Stashower et al). 1999;40:287-9 (Case rep.)

Video

Increased dermal angiogenesis after low-intensity laser therapy for a chronic radiation ulcer determined by a video measuring system (Schindl et al). 1999;40:481-4 (Brief comm.)

Vitamin D

Sunscreens and vitamin D levels (Marks) (Letter); (DiGiovanna and Kraemer) (Reply). 1999;40:497

Vitiligo

Epidermal grafts for treatment of stable and progressive vitiligo (Kim et al). 1999;40:412-7

Phenylalanine with UVA for the treatment of vitiligo needs more testing for possible side effects (Burkhart and Burkhart). 1999;40:1015 (Letter)

Surgical pearl: fine gauze is a useful carrier for epidermal graft in the treatment of vitiligo by means of the suction blister method (Tang et al). 1999;40:247-8 (Pearls)

Twenty-nail dystrophy and vitiligo: a rare association (Peloro and Pride). 1999;40:488-90 (Brief comm.)

Vitiligo: phototherapeutic options (Gambichler). 1999;40:645 (Letter)

Voight-Futcher line

The drug line: the clinical expression of the pigmentary Voight-Futcher line in turn derived from the embryonic ventral axial line (Shelley et al). 1999;40:736-40

W**Warthin's tumor**

Extraparotid Warthin's tumor (Patterson et al). 1999;40:468-70 (Dermatopathology)

Warts

Resolution of recalcitrant hand warts in an HIV-infected patient treated with potent antiretroviral therapy (Spach and Colven). 1999;40:818-21 (Case rep.)

Women

Eruptive widespread Spitz nevi: Can pregnancy be a stimulating factor? (Onsun et al). 1999;40:866-7 (Case rep.)

Herpes gestationis in a mother and child (Chen et al). 1999;40:847-9 (Case rep.)

The midline part: an important physical clue to the clinical diagnosis of androgenetic alopecia in women (Olsen). 1999;40:106-9 (Brief comm.)

Nongenital dermatologic disease in HIV-infected women (Barton and Buchness). 1999;40:938-48

Severe nonendemic pemphigus foliaceus presenting in the postpartum period (Nousari et al). 1999;40:845-6 (Case rep.)

Z**Zidovudine**

A novel chemotherapeutic regimen (interferon alfa, zidovudine, and etretinate) for adult T-cell lymphoma resulting in rapid tumor destruction (Chan et al). 1999;40:116-20 (Brief comm.)

Severe paronychia due to zidovudine-induced neutropenia in a neonate (Russo et al). 1999;40:322-4 (Case rep.)

